according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



# PLEDGE® COMMERCIAL LINE FURNITURE POLISH - LEMON AEROSOL

Version 1.0 Print Date 03/04/2011

Revision Date 08/22/2008 MSDS Number 350000003607

#### 1. PRODUCT AND COMPANY IDENTIFICATION

**Product information** 

Trade name : PLEDGE® COMMERCIAL LINE FURNITURE POLISH -

LEMON AEROSOL

Use of the

Company

Substance/Preparation

: Furniture Polish/Cleaner

: S.C. Johnson & Son, Inc.

1525 Howe Street Racine WI 53403-2236

Emergency telephone : 24 Hour Transport & Medical Emergency Phone (866) 231-

5406

24 Hour International Emergency Phone (952) 852-4647

### 2. HAZARDS IDENTIFICATION

**Emergency Overview** 

Appearance / Odor : white / Mist / pleasant

Immediate Concerns : Caution

CONTENTS UNDER PRESSURE. Do not puncture or incinerate. Keep away from heat, sparks and flame. Do not store at temperatures above 120 Deg. F (50 Deg C), as

container may burst.

**Potential Health Effects** 

Routes of exposure : Eye, Skin, Inhalation, Ingestion.

Eyes : May cause:

Mild eye irritation

Skin : None known.

Inhalation : None known.

Ingestion : Aspiration hazard if swallowed - can enter lungs and cause

damage.

Aggravated Medical

Condition

None known.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No.	Weight %
Deionized Water	7732-18-5	60.00 - 100.00

1/8

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



# PLEDGE® COMMERCIAL LINE FURNITURE POLISH - LEMON AEROSOL

Version 1.0 Print Date 03/04/2011

Revision Date 08/22/2008 MSDS Number 350000003607

Alkanes, C7-10-iso-	90622-56-3	5.00 - 10.00
Dimethicone	63148-62-9	5.00 - 10.00
Butane	106-97-8	1.00 - 5.00
Propane	74-98-6	1.00 - 5.00
Isobutane	75-28-5	1.00 - 5.00

#### 4. FIRST AID MEASURES

Eye contact : Rinse with plenty of water.

Skin contact : Wash off with soap and water.

Inhalation : Remove to fresh air. If breathing is affected, get medical

attention.

Ingestion : If swallowed, DO NOT induce vomiting unless directed to do so

by medical personnel. Drink 1 or 2 glasses of water. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician or Poison Control Centre immediately.

### 5. FIRE-FIGHTING MEASURES

Suitable extinguishing

media

: Alcohol foam, carbon dioxide, dry chemical, water fog

Specific hazards during fire

fighting

Aerosol Product - Containers may rocket or explode in heat of

fire.

Further information : Cool and use caution when approaching or handling fire-

exposed containers. Fight fire from maximum distance or protected area. Wear full protective clothing and positive

pressure self-contained breathing apparatus.

Flash point : < 20 °F

Method: Tag Closed Cup (TCC)

Note: Propellant

Flash point : < -7 °C

Method: Tag Closed Cup (TCC)

Note: Propellant

Upper explosion limit : Note: no data available

NFPA Classification : NFPA Level 1 Aerosol

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



# PLEDGE® COMMERCIAL LINE FURNITURE POLISH - LEMON AEROSOL

Version 1.0 Print Date 03/04/2011

Revision Date 08/22/2008 MSDS Number 350000003607

#### **6. ACCIDENTAL RELEASE MEASURES**

Personal precautions : Remove all sources of ignition.

Methods for cleaning up : Soak up with inert absorbent material.

Sweep up and shovel into suitable containers for disposal.

After cleaning, flush away traces with water.

#### 7. HANDLING AND STORAGE

### Handling

Advice on safe handling : Use only as directed.

KEEP OUT OF REACH OF CHILDREN AND PETS.

Do not puncture or incinerate.

Do not spray or use on floors as it could leave them slippery.

Advice on protection

against fire and explosion

Keep away from heat and sources of ignition.

Storage

Requirements for storage

areas and containers

Keep in a dry, cool and well-ventilated place.

Do not freeze.

Do not store at temperatures above 120 Deg. F (50 Deg C), as

container may burst.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Occupational Exposure Limits**

Components	CAS-No.	mg/m3	ppm	Basis
Butane	106-97-8		1,000 ppm	ACGIH TWA
Propane	74-98-6		1,000 ppm	ACGIH TWA
		1,800 mg/m3	1,000 ppm	OSHA TWA
Isobutane	75-28-5		1,000 ppm	ACGIH TWA

### Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally

required.

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



# PLEDGE® COMMERCIAL LINE FURNITURE POLISH - LEMON AEROSOL

Version 1.0 Print Date 03/04/2011

Revision Date 08/22/2008 MSDS Number 350000003607

Hand protection : not required under normal use

Eye protection : No special requirements.

Hygiene measures : Use only with adequate ventilation. Wash thoroughly after

handling.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Form : Mist

Color : white

Odor : pleasant

pH : not applicable

Boiling point : no data available

Flash point : < 20 °F

Method: Tag Closed Cup (TCC)

Propellant

Flash point : < -7 °C

Method: Tag Closed Cup (TCC)

Propellant

Evaporation rate : no data available

Autoignition temperature : no data available

Upper explosion limit : no data available

Vapour pressure : no data available

Water solubility : soluble

Partition coefficient: n-

octanol/water no data available

Viscosity, dynamic : no data available

Percent volatile : not determined

#### 10. STABILITY AND REACTIVITY

Conditions to avoid : Heat, flames and sparks.

4/8

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



# PLEDGE® COMMERCIAL LINE FURNITURE POLISH - LEMON AEROSOL

Version 1.0 Print Date 03/04/2011

Revision Date 08/22/2008 MSDS Number 350000003607

Materials to avoid : Do not mix with oxidizing agents.

Hazardous decomposition

products

: When exposed to fire, produces normal products of

combustion.

Hazardous reactions : Stable

### 11. TOXICOLOGICAL INFORMATION

Acute oral toxicity : LD50 rat

Dose: estimated > 20,000 mg/kg

Acute inhalation toxicity : LC50 rat

Dose: > 212 mg/l

Acute dermal toxicity : no data available

**Chronic effects** 

Carcinogenicity : no data available

Mutagenicity : no data available

Reproductive effects : no data available

Teratogenicity : no data available

Sensitisation : Not known to be a sensitizer.

## 12. ECOLOGICAL INFORMATION

Ecotoxicity effects : Not Available

### 13. DISPOSAL CONSIDERATIONS

Product : Observe all applicable Federal, Provincial and State

regulations and Local/Municipal ordinances regarding

disposal.

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



# PLEDGE® COMMERCIAL LINE FURNITURE POLISH - LEMON AEROSOL

Version 1.0 Print Date 03/04/2011

Revision Date 08/22/2008 MSDS Number 350000003607

#### 14. TRANSPORT INFORMATION

#### Land transport

U.S. DOT and Canadian TDG Surface Transportation:

UN-Number 1950

Proper shipping name Aerosols, flammable

Class: 2.1 Packaging group: None.

Note: SC Johnson ships this product as Consumer Commodity ORM-D

(non-bulk packages)

#### Sea transport

IMDG:

Class: 2.1 Packaging group: None.

Proper shipping name Aerosols, flammable

UN-Number: 1950

Note: SC Johnson ships this product as "Limited Quantity" when the

container quantity value is 1 Liter or less.

## Air transport

ICAO/IATA:

Class: 2.1 Packaging group: None.

Proper shipping name Aerosols, flammable

UN/ID No.: UN 1950

Note: SC Johnson typically does not ship products via air, therefore it has

not been determined if the product container meets current

IATA/ICAO package criteria. Refer to IATA/ICAO Dangerous Goods Regulations for detailed instructions when shipping this item by air.

## 15. REGULATORY INFORMATION

### **Global Chemical Inventories**

Notification status : All ingredients of this product are listed or are excluded from

listing on the U.S. Toxic Substances Control Act (TSCA)

Chemical Substance Inventory.

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



# PLEDGE® COMMERCIAL LINE FURNITURE POLISH - LEMON AEROSOL

Print Date 03/04/2011 Version 1.0 Revision Date 08/22/2008 MSDS Number 350000003607 All ingredients of this product comply with the New Substances Notification requirements under the Canadian Environmental Protection Act (CEPA). California Prop. 65 : This product is not subject to the reporting requirements under California's Proposition 65. This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations. 16. OTHER INFORMATION **HMIS Ratings** Health 0 **Flammability** 4 0 Reactivity **NFPA Ratings** Health 0 4 Fire Reactivity 0 **Special** 

### **Further information**

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



# PLEDGE® COMMERCIAL LINE FURNITURE POLISH - LEMON AEROSOL

Version 1.0	Print Date 03/04/2011				
Revision Date 08/22/2008	MSDS Number 350000003607				
Prepared by:	SC Johnson Global Safety Assessment & Regulatory Affairs (GSARA)				
	Regulatory Affairs (GSARA)				
	8/8				