Material Safety Data Sheet

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



PLEDGE® MULTI SURFACE EVERYDAY CLEANER

Version 1.1

Revision Date 02/05/2013

Print Date 03/11/2013

MSDS Number 350000021022 GEN_SOF Number 45845

1. PRODUCT AND COMPANY IDENTIFICATION

Product information		
Trade name	:	PLEDGE® MULTI SURFACE EVERYDAY CLEANER
Use of the Substance/Mixture	:	Speciality Cleaner
Company	:	S.C. Johnson and Son, Limited 1 Webster Street Brantford ON N3T 5R1
Emergency telephone number	:	24 Hour Transport & Medical Emergency Phone (866) 231- 5406 24 Hour International Emergency Phone (952) 852-4647 24 Hour Canadian Transport Emergency Phone (CANUTEC) (613) 996-6666

2. HAZARDS IDENTIFICATION

Emergency Overview Appearance / Odor	:	clear / liquid / pleasant
Immediate Concerns	:	Caution COMBUSTIBLE: Keep away from heat, sparks and flame.
Potential Health Effects Exposure routes	:	Eye, Skin, Inhalation, Ingestion.
Eyes	:	None known.
Skin	:	None known.
Inhalation	:	No adverse effects expected when used as directed.
Ingestion	:	May cause abdominal discomfort.
Aggravated Medical Condition	:	None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous chemicals present at or above reportable levels as defined by OSHA 29 CFR 1910.1200 or the Canadian Controlled Products Regulations are listed in this table:

	Chemical Name	CAS-No.	Weight percent
--	---------------	---------	----------------

according to ANSI Z400.1- 2004 and 2	eet 29 CFR 1910.1200 A FAMILY COMPAN
PLEDGE® MULTI SL	JRFACE EVERYDAY CLEANER
Version 1.1	Print Date 03/11/2013
Revision Date 02/05/2013	MSDS Number 350000021022 GEN_SOF Number 45845
Ethyl alcohol	64-17-5 0.10 - 1.00
For additional information on p	roduct ingredients, see www.whatsinsidescjohnson.com.
4. FIRST AID MEASURES	
Eye contact	: Rinse with plenty of water. Get medical attention if irritation develops and persists.
Skin contact	: Rinse with plenty of water.
Inhalation	: No special requirements
Ingestion	: If swallowed, DO NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention immediately.
5. FIREFIGHTING MEASURE	S
	-
Suitable extinguishing media	: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
	: Use water spray, alcohol-resistant foam, dry chemical or
media Specific hazards during	: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
media Specific hazards during firefighting	 Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Container may melt and leak in heat of fire. Although this product has a flash point below 200 Deg F, it is an aqueous solution containing an alcohol and does not sustain combustion. Fight fire with normal precautions from a reasonable distance. Cool and use caution when approaching or handling fire-exposed containers. Standard procedure for chemical fires. Wear full protective clothing and positive pressure self-contained breathing apparatus. In case of fire
media Specific hazards during firefighting Further information	 Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Container may melt and leak in heat of fire. Although this product has a flash point below 200 Deg F, it is an aqueous solution containing an alcohol and does not sustain combustion. Fight fire with normal precautions from a reasonable distance. Cool and use caution when approaching or handling fire-exposed containers. Standard procedure for chemical fires. Wear full protective clothing and positive pressure self-contained breathing apparatus. In case of fire and/or explosion do not breathe fumes. 64 °C 147.2 °F
media Specific hazards during firefighting Further information	 Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Container may melt and leak in heat of fire. Although this product has a flash point below 200 Deg F, it is an aqueous solution containing an alcohol and does not sustain combustion. Fight fire with normal precautions from a reasonable distance. Cool and use caution when approaching or handling fire-exposed containers. Standard procedure for chemical fires. Wear full protective clothing and positive pressure self-contained breathing apparatus. In case of fire and/or explosion do not breathe fumes. 64 °C 147.2 °F Method: Tag Closed Cup (TCC)
media Specific hazards during firefighting Further information Flash point Lower explosion limit	 Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Container may melt and leak in heat of fire. Although this product has a flash point below 200 Deg F, it is an aqueous solution containing an alcohol and does not sustain combustion. Fight fire with normal precautions from a reasonable distance. Cool and use caution when approaching or handling fire-exposed containers. Standard procedure for chemical fires. Wear full protective clothing and positive pressure self-contained breathing apparatus. In case of fire and/or explosion do not breathe fumes. 64 °C 147.2 °F Method: Tag Closed Cup (TCC) Note: no data available Note: no data available

Material Safety Data S according to ANSI Z400.1- 2004 ar		910.12	200		A FAM	Ohnson Ily Company
PLEDGE® MULTI S	SURFA	CE	EVERYDA		R	
Version 1.1				Print Date 0	3/11/2013	
Revision Date 02/05/2013					ber 3500000 Number 4584	
		cond	are of vapours a centrations. Vapo ar personal prote	ours can accum	ulate in low a	
Environmental precauti	ons :	Oute	side of normal us	e, avoid release	e to the enviro	onment.
Methods for cleaning u	o :	mate and natio Use Dike	tain spillage, soa erial, (e.g. sand, transfer to a con onal regulations (only non-sparkir alarge spills. an residue from s	earth, diatomac tainer for dispos see section 13) ng equipment.	eous earth, v al according	ermiculite)
7. HANDLING AND STORA	GE					
Handling						
Advice on safe handling	g :		only as directed P OUT OF REA		EN AND PET	۲S.
Advice on protection against fire and explosi	: on		p away from hea e measures to pr			tatic charge.
Storage						
Requirements for storage areas and containers	ge :		p container close p in a dry, cool a			
8. EXPOSURE CONTROLS Occupational Exposu	re Limits					
Components	CAS-No	Э.	mg/m3	ppm	Non- standard units	Basis
Ethyl alcohol	64-17-5	5	-	1,000 ppm	-	ACGIH STEL
Personal protective e	quipment	:				
Respiratory protection		No	personal respira uired.	tory protective e	equipment no	rmally
Hand protection	:	No	special requirem	ients.		
Eye protection		No	special requirem	ients.		

Material Safety Data Sheet according to ANSI Z400.1- 2004 and 29 C		hnson (company
PLEDGE® MULTI SUR	ACE EVERYDAY CLEANER	
Version 1.1	Print Date 03/11/2013	
Revision Date 02/05/2013	MSDS Number 350000021 GEN_SOF Number 45845	022
Skin and body protection	: No special requirements.	
Hygiene measures	: Handle in accordance with good industrial hygiene practice. Wash thoroughly after handling.	and safety
9. PHYSICAL AND CHEMICAL P	ROPERTIES	
Form	: liquid	
Color	: clear	
Odor	: pleasant	
рН	: 6.0	
Melting point	at 20 °C : no data available	
Boiling point	: no data available	
Freezing point	: no data available	
Flash point	: 64 °C 147.2 °F Method: Tag Closed Cup (TCC)	
Evapouration rate	: no data available	
Flammability (solid, gas)	: Does not sustain combustion.	
Auto-ignition temperature	: no data available	
Lower explosion limit	: no data available	
Upper explosion limit	: no data available	
Vapour pressure	: no data available	
Density	: 0.99 g/cm3	
Water solubility	at 20 °C : completely soluble	
Partition coefficient: n- octanol/water	: no data available	
Viscosity, dynamic	: no data available	
Viscosity, kinematic	: no data available	

-		5 6
ccording to ANSI Z400.1- 2004 and 29 CF	R 1910.1200	C Johnso
		A FAMILY COMPA
PLEDGE® MULTI SURF	ACE EVERYDAY CLEANE	R
ersion 1.1	Print Date	03/11/2013
Revision Date 02/05/2013		mber 350000021022 Number 45845
Relative vapour density	: no data available	
Volatile Organic Compounds Total VOC (wt. %)*	: 0.5 % - additional exemptions m *as defined by US Federal and Sta Regulations	
0. STABILITY AND REACTIVITY		
Conditions to avoid	: Heat, flames and sparks.	
Materials to avoid	: Strong oxidizing agents	
Hazardous decomposition products	: Thermal decomposition can lead to and vapours.	o release of irritating gases
Thermal decomposition	: Note: no data available	
Hazardous reactions	: Stable under recommended storage	ge conditions.
1. TOXICOLOGICAL INFORMAT	ION	
Acute oral toxicity	: LD50 estimated > 5,000 mg/kg	
	: LC50 Measured	
Acute inhalation toxicity	> 2.58 mg/l	
Acute inhalation toxicity Acute dermal toxicity	 2.58 mg/r LD50 Measured > 5,050 mg/kg 	
	: LD50 Measured	

Material Safety Data She according to ANSI Z400.1- 2004 and 29		A FAMILY COMPANY
PLEDGE® MULTI SU	RFACE EVER	YDAY CLEANER
Version 1.1		Print Date 03/11/2013
Revision Date 02/05/2013		MSDS Number 350000021022 GEN_SOF Number 45845
Reproductive effects	: no data avail	able
Teratogenicity	: no data avail	able
Sensitisation	: Substances i	s not a sensitizer.
12. ECOLOGICAL INFORMAT	ION	
Ecotoxicity effects	: no data avai	able
	regulations a disposal.	applicable Federal, Provincial and State nd Local/Municipal ordinances regarding ay discard empty container in trash, or recycle es exist.
Land transport U.S. DOT and Canadi Proper shipping name Class: UN/ID No.: Packaging group	ading/receiving docu	ments for up-to-date shipping information.
Sea transport IMDG: Proper shipping name Class: UN/ID No.: Packaging group Air transport ICAO/IATA: Proper shipping name Class: UN/ID No.:	not regulated None. None. None. not regulated None. None.	
Packaging group	None.	

Material Safety Data Sheet

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



PLEDGE® MULTI SURFACE EVERYDAY CLEANER

Version 1.1

Revision Date 02/05/2013

Print Date 03/11/2013

MSDS Number 350000021022 GEN_SOF Number 45845

Notification status	: All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.
Notification status	: All ingredients of this product comply with the New Substance Notification requirements under the Canadian Environmental Protection Act (CEPA).
California Prop. 65	: This product is not subject to the reporting requirements unde
Canada Regulations	 California's Proposition 65. This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Product Regulations.
OTHER INFORMATION	
HMIS Ratings	
Health	0
Flammability	2
Reactivity	0
NFPA Ratings	
Health	0
Fire	2
Reactivity	0

This information is being provided in accordance with Occupational Safety and Health Administration (OSHA) and Canada's Workplace Hazard Material Information System (WHMIS) regulations. The information supplied is designed for workplaces where product use and frequency of exposure exceeds that established for the labeled consumer use.

Further information

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

Material Safety Data Sheet

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



PLEDGE® MULTI SURFACE EVERYDAY CLEANER

Version 1.1

Revision Date 02/05/2013

Print Date 03/11/2013

MSDS Number 350000021022 GEN_SOF Number 45845

Prepared by:	SC Johnson Global Safety Assessment &
	Regulatory Affairs (GSARA)