Version 1.2	Revision Date: 02/18/2015		SDS Number: 474-00003	Date of last issue: 02/10/2015 Date of first issue: 01/26/2015	
SECTION	I 1. IDENTIFICATION				
Prod	uct name	:	Renown® White Hand Soap		
Prod	uct code	:	REN02503		
	Manufacturer or supplier's Company name of supplier		etails : INTERLINE BRANDS		
Addr	ess	:	Jacksonville, Florida 32207		
Tele	ohone	:	1-866-412-6726		
Eme	Emergency telephone		1-866-412-6726		
Reco	Recommended use of the c		nical and restriction	ons on use	
Reco	ommended use	:	Skin-care		
Restrictions on use :		:	This is a personal care or cosmetic product that is safe for consumers and other users under normal and reasonably foreseeable use. Cosmetics and consumer products, specifically defined by regulations around the world, are exempt from the requirement of an SDS for the consumer. While this material is not considered hazardous, this SDS contains valuable information critical to the safe handling a proper use of the product for industrial workplace condition as well as unusual and unintended exposures such as larg spills. This SDS should be retained and available for employees and other users of this product. For specific intended-use guidance, please refer to the information provided on the package or instruction sheet.		

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Eye irritation	: Category 2A
GHS Label element Hazard pictograms	
Signal Word	: Warning
Hazard Statements	: H319 Causes serious eye irritation.
Precautionary Statements	: Prevention: P264 Wash skin thoroughly after handling.

Version 1.2	Revision Date: 02/18/2015	MSDS Number: 51474-00003	Date of last issue: 02/10/2015 Date of first issue: 01/26/2015
		Response: P305 + P351 + I for several minu to do. Continue	protection/ face protection. P338 IF IN EYES: Rinse cautiously with water tes. Remove contact lenses, if present and easy rinsing. eye irritation persists: Get medical advice/
Other	⁻ hazards		

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous ingredients

Chemical Name	CAS-No.	Concentration (%)
Alcohols, C10-16, ethoxylated, sulfates, sodium	68585-34-2	>= 1 - < 5
salts		
Cocoamidopropyl betaine	61789-40-0	>= 1 - < 5

SECTION 4. FIRST AID MEASURES

General advice	a W	n the case of accident or if you feel unwell, seek medical dvice immediately. Vhen symptoms persist or in all cases of doubt seek medical dvice.
If inhaled		inhaled, remove to fresh air. Set medical attention if symptoms occur.
In case of skin contact		Vash with water and soap as a precaution. Set medical attention if symptoms occur.
In case of eye contact	fc If	n case of contact, immediately flush eyes with plenty of water or at least 15 minutes. easy to do, remove contact lens, if worn. Get medical attention.
If swallowed	G	swallowed, DO NOT induce vomiting. Set medical attention if symptoms occur. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	: C	Causes serious eye irritation.
Protection of first-aiders	а	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists.
Notes to physician	: Т	reat symptomatically and supportively.

Version	Revision Date: 02/18/2015	MSDS Number:	Date of last issue: 02/10/2015
1.2		51474-00003	Date of first issue: 01/26/2015

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Dry chemical Carbon dioxide (CO2)
Unsuitable extinguishing media	:	None known.
Specific hazards during fire fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion prod- ucts	:	Sulfur oxides Carbon oxides Metal oxides Chlorine compounds Nitrogen oxides (NOx)
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment. Follow safe handling advice and personal protective equipment recommendations.
Environmental precautions	 Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	 Soak up with inert absorbent material. For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items

Version 1.2	Revision Date: 02/18/2015		SDS Number: 474-00003	Date of last issue: 02/10/2015 Date of first issue: 01/26/2015	
			employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.		
SECTION	7. HANDLING AND ST	OR/	AGE		
Tech	nical measures	:	5 5	measures under EXPOSURE SONAL PROTECTION section.	
Local/Total ventilation		:	Use only with adequate ventilation.		
Advice on safe handling		:	 Avoid inhalation of vapor or mist. Do not swallow. Do not get in eyes. Avoid prolonged or repeated contact with skin. Handle in accordance with good industrial hygiene and sat practice. Take care to prevent spills, waste and minimize release to environment. 		
Cond	ditions for safe storage	:		abeled containers. ce with the particular national regulations.	
Materials to avoid		:	Do not store with the following product types: Strong oxidizing agents		

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Hazardous components without workplace control parameters

Ingredients	CAS-No.
Alcohols, C10-16, ethoxylated,	68585-34-2
sulfates, sodium salts	
Cocoamidopropyl betaine	61789-40-0

Engineering measures : Ensure adequate ventilation, especially in confined areas. Minimize workplace exposure concentrations. Dust formation may be relevant in the processing of this product. In addition to substance-specific OELs, general limitations of concentrations of particulates in the air at workplaces have to be considered in workplace risk assessment. Relevant limits include: OSHA PEL for Particulates Not Otherwise Regulated of 15 mg/m3 - total dust, 5 mg/m3 - respirable fraction; and ACGIH TWA for Particles (insoluble or poorly soluble) Not Otherwise Specified of 3 mg/m3 - respirable particles, 10 mg/m3 inhalable particles.

Personal protective equipment

Version 1.2	Revision Date: 02/18/2015	MSDS Num 51474-0000	
Resp	Respiratory protection		and local exhaust ventilation is recommended to n vapor exposures below recommended limits. Where trations are above recommended limits or are n, appropriate respiratory protection should be worn. OSHA respirator regulations (29 CFR 1910.134) and OSH/MSHA approved respirators. Protection provided urifying respirators against exposure to any bus chemical is limited. Use a positive pressure air d respirator if there is any potential for uncontrolled , exposure levels are unknown, or any other tance where air purifying respirators may not provide te protection.
	Hand protection Material		ous gloves
Re	Remarks		gloves to protect hands against chemicals depending concentration specific to place of work. Breakthrough not determined for the product. Change gloves often! cial applications, we recommend clarifying the ce to chemicals of the aforementioned protective with the glove manufacturer. Wash hands before and at the end of workday.
Еуе р	protection	: Wear th Safety g	e following personal protective equipment: goggles
Skin :	and body protection	resistan potentia Skin coi	appropriate protective clothing based on chemical ce data and an assessment of the local exposure II. ntact must be avoided by using impervious protective (gloves, aprons, boots, etc).
Hygie	ene measures	located When u	that eye flushing systems and safety showers are close to the working place. sing do not eat, drink or smoke. ontaminated clothing before re-use.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Color	: white, off-white
Odor	: soapy
Odor Threshold	: No data available
рН	: 4.8 - 6.2
Melting point/freezing point	: No data available
Solidification / Setting point	2.90 °C

Vers 1.2	sion	Revision Date: 02/18/2015		DS Number: 74-00003	Date of last issue: 02/10/2015 Date of first issue: 01/26/2015
	Initial b range	oiling point and boiling	:	98.00 °C	
	Flash p	oint	:	> 100 °C	
	Evapor	ation rate	:	No data available	
	Flamma	ability (solid, gas)	:	Not applicable	
	Upper e	explosion limit	:	No data available	
	Lower e	explosion limit	:	No data available	
	Vapor p	pressure	:	No data available	
	Relative	e vapor density	:	No data available	
	Density	,	:	1.0000 g/cm3	
	Partitio	er solubility n coefficient: n-		soluble Not applicable	
	octanol				
	-	ition temperature		No data available	
		position temperature	:	The substance or	mixture is not classified self-reactive.
	Viscosi Visco	ty osity, kinematic	:	3,000 - 18,000 m	m2/s (20.00 °C)
	Explosi	ve properties	:	Not explosive	
	Oxidizir	ng properties	:	The substance or	mixture is not classified as oxidizing.

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reac- tions	: Can react with strong oxidizing agents.
Conditions to avoid	: None known.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: No hazardous decomposition products are known.

Version 1.2	Revision Date: 02/18/2015	MSDS Number: 51474-00003	Date of last issue: 02/10/2015 Date of first issue: 01/26/2015			
SECTIO	SECTION 11. TOXICOLOGICAL INFORMATION					
Inha Skir Inge	alation on likely route alation o contact estion contact	s of exposure				
Αςι	ite toxicity					
Not	classified based on avail	able information.				
Pro	duct:					
Acu	te oral toxicity	: Acute toxicity e Method: Calcul	estimate: > 5,000 mg/kg lation method			
	redients:					
	ohols, C10-16, ethoxyla te oral toxicity	: LD50 (Rat): > 2				
Coc	coamidopropyl betaine:					
	te oral toxicity	: LD50: > 5,000 Method: OECD	mg/kg) Test Guideline 401 ed on data from similar materials			
Acu	te dermal toxicity	Assessment: T toxicity	2,000 mg/kg) Test Guideline 402 he substance or mixture has no acute dermal ed on data from similar materials			
01.5						

Skin corrosion/irritation

Not classified based on available information.

Product:

Result: No skin irritation

Ingredients:

Alcohols, C10-16, ethoxylated, sulfates, sodium salts: Result: Skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Product:

Result: Irritation to eyes, reversing within 21 days

Ingredients:

Alcohols, C10-16, ethoxylated, sulfates, sodium salts: Result: Irreversible effects on the eye

Version	Revision Date:	MSDS Number:
1.2	02/18/2015	51474-00003

Date of last issue: 02/10/2015 Date of first issue: 01/26/2015

Cocoamidopropyl betaine:

Species: Rabbit Result: Irreversible effects on the eye Method: OECD Test Guideline 405 Remarks: Based on data from similar materials

Respiratory or skin sensitization

Skin sensitization: Not classified based on available information. Respiratory sensitization: Not classified based on available information.

Product:

Assessment: Does not cause skin sensitization.

Ingredients:

...

Cocoamidopropyl betaine: Test Type: Maximization Test (GPMT) Routes of exposure: Skin contact Species: Guinea pig Result: negative Remarks: Based on data from similar materials

Germ cell mutagenicity

Not classified based on available information.

Ingredients:	
Cocoamidopropyl betaine: Genotoxicity in vitro	 Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative Remarks: Based on data from similar materials
Genotoxicity in vivo	 Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Ingestion Result: negative Remarks: Based on data from similar materials
Carcinogenicity	
Not classified based on availab	ole information.
IARC	No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
OSHA	No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
NTP	No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Version	Revision Date:	MSDS Number:	Date of last issue: 02/10/2015
1.2	02/18/2015	51474-00003	Date of first issue: 01/26/2015

Reproductive toxicity

Not classified based on available information.

Ingredients:

 Cocoamidopropyl betaine:

 Effects on fetal development

 Species: Rat

 Application Route: Ingestion

 Method: OECD Test Guideline 414

 Result: negative

 Remarks: Based on data from similar materials

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Repeated dose toxicity

Ingredients:

Cocoamidopropyl betaine: Species: Rat NOAEL: 250 mg/kg Application Route: Ingestion Exposure time: 90 d Method: OECD Test Guideline 408 Remarks: Based on data from similar materials

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Ingredients:

Cocoamidopropyl betaine:			
Toxicity to fish :	LC50: > 1 - 10 mg/l Exposure time: 96 h Method: ISO 7346/2 Remarks: Based on data from similar materials		
Toxicity to bacteria :	EC50: > 100 mg/l Method: OECD Test Guideline 209 Remarks: Based on data from similar materials		
Persistence and degradability			

Product:

Biodegradability : Result: Biodegradable

Renown® White Hand Soap

Version 1.2	Revision Date: 02/18/2015	MSDS Number: 51474-00003	Date of last issue: 02/10/2015 Date of first issue: 01/26/2015
Alcol	e <mark>dients:</mark> h ols, C10-16, ethoxyla egradability	ted, sulfates, sodium : Result: Readily b	
	amidopropyl betaine: egradability	: Result: Readily b Biodegradation: Exposure time: 2 Method: OECD 1	> 60 %
	ccumulative potential ata available		
	lity in soil ata available		
• • • • •	r adverse effects ata available		

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods Waste from residues	: Dispose of in accordance with local regulations.
Contaminated packaging	 Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

International Regulation

UNRTDG Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR Not regulated as a dangerous good

1.2 02/18/2015 51474-00003 Date of first issue: 01/26/2015	Version 1.2	Revision Date: 02/18/2015	MSDS Number: 51474-00003	Date of last issue: 02/10/2015 Date of first issue: 01/26/2015	
--	----------------	------------------------------	-----------------------------	---	--

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	: Acute Health Hazard
SARA 302	: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313	: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations

Pennsylvania Right To Know


-	Water Alcohols, C10-16, ethoxylated, sulfates,	7732-18-5 68585-34-2	70 - 90 % 1 - 5 %
	sodium salts Sodium chloride	7647-14-5	1 - 5 %
New Jersey Rig	ght To Know		
	Water	7732-18-5	70 - 90 %
	Alcohols, C10-16, ethoxylated, sulfates, sodium salts	68585-34-2	1 - 5 %
	Sodium chloride	7647-14-5	1 - 5 %
	Cocoamidopropyl betaine	61789-40-0	1 - 5 %

California Prop 65	This product does not contain any chemicals known to the
	State of California to cause cancer, birth, or any other
	reproductive defects.

The ingredients of this product are reported in the following inventories:		
AICS	: All ingredients listed or exempt.	

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), NECSI (Taiwan), TSCA (USA)





HEALTH2FLAMMABILITY1PHYSICAL HAZARD0

0 = not significant, 1 =Slight, 2 = Moderate, 3 = High 4 = Extreme, * = Chronic

Sources of key data used to compile the Material Safety Data Sheet

: Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/

Revision Date : 02/18/2015

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8