

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 07.25.2018

Page 1 of 10

## Clear Epoxy Resin - Part A

### SECTION 1: Identification

#### Product identifier

**Product name:** Clear Epoxy Resin - Part A

**Product code:** 50101, 50112, 50114, 50114H, 50132, 50240, 50240H, 8212



#### Recommended use of the product and restriction on use

**Relevant identified uses:** Adhesive Part A

**Uses advised against:** Not determined or not applicable.

**Reasons why uses advised against:** Not determined or not applicable.

#### Manufacturer or supplier details

**Manufacturer:**

**United States**

J-B Weld Company, LLC

400 CMH Road

Sulphur Springs, TX 75482

903-885-7696

info@jbweld.com

#### Emergency telephone number:

**United States**

InfoTrac

Transportation Emergencies (24 hour): 800-535-5053

Poison Control Centers (24 hour): medical emergencies 800-222-1222

### SECTION 2: Hazard(s) identification

#### GHS classification:

Skin irritation, category 2

Eye irritation, category 2A

Skin sensitization, category 1

#### Label elements

##### Hazard pictograms:



**Signal word:** Warning

#### Hazard statements:

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

#### Precautionary statements:

P264 Wash skin and eyes thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P261 Avoid breathing dust/fume/gas/mist/vapors/spray.

P272 Contaminated work clothing should not be allowed out of the workplace.

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 07.25.2018

Page 2 of 10

## Clear Epoxy Resin - Part A

P321 Specific treatment (see supplemental first aid instructions on this label).  
P362 Take off contaminated clothing and wash before reuse  
P302+P352 IF ON SKIN: Wash with plenty of soap and water.  
P332+P313 If skin irritation occurs: Get medical advice/attention  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P337+P313 If eye irritation persists get medical advice/attention  
P363 Wash contaminated clothing before reuse  
P333+P313 If skin irritation or a rash occurs: Get medical advice/attention  
P501 Dispose of contents/container in accordance with local regulations.

**Hazards not otherwise classified:** None

## SECTION 3: Composition/information on ingredients

Identification	Name	Weight %
CAS number: 3101-60-8	P-tert-butylphenyl 1-(2,3-epoxy)propyl ether	<5
CAS number: 25068-38-6	Epoxy Resin	<98

### Additional Information:

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of the OSHA Hazard Communication Standard (29 CFR §1910.1200).

## SECTION 4: First aid measures

### Description of first aid measures

#### General notes:

Not determined or not applicable.

#### After inhalation:

Loosen clothing as necessary and position individual in a comfortable position  
Maintain an unobstructed airway  
Get medical advice/attention if you feel unwell

#### After skin contact:

Rinse affected area with soap and water  
If symptoms develop or persist, seek medical attention  
Take off all contaminated clothing  
Gently blot or brush away excess product  
Wash with plenty of lukewarm, gently flowing water  
Get medical advice if skin irritation occurs or you feel unwell

#### After eye contact:

Rinse/flush exposed eye(s) gently using water for 15-20 minutes  
If symptoms develop or persist, seek medical attention  
Rinse eyes cautiously with lukewarm, gently flowing water for several minutes, while holding the eyelids open  
Remove contact lenses, if present and easy to do so  
Continue rinsing for 15-20 minutes  
Get medical advice if eye irritation persists

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 07.25.2018

Page 3 of 10

## Clear Epoxy Resin - Part A

### After swallowing:

Rinse mouth thoroughly

Seek medical attention if irritation, discomfort, or vomiting persists

### Most important symptoms and effects, both acute and delayed

#### Acute symptoms and effects:

Not determined or not applicable.

#### Delayed symptoms and effects:

Not determined or not applicable.

### Immediate medical attention and special treatment

#### Specific treatment:

Not determined or not applicable.

#### Notes for the doctor:

Not determined or not applicable.

## SECTION 5: Firefighting measures

### Extinguishing media

#### Suitable extinguishing media:

Use appropriate fire suppression agents for adjacent combustible materials or sources of ignition

#### Unsuitable extinguishing media:

Not determined or not applicable.

### Specific hazards during fire-fighting:

Thermal decomposition can lead to release of irritating gases and vapors

### Special protective equipment for firefighters:

Use typical firefighting equipment, self-contained breathing apparatus, special tightly sealed suit

### Special precautions:

Not determined or not applicable.

## SECTION 6: Accidental release measures

### Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation

Ensure air handling systems are operational

Wear protective eye wear, gloves and clothing

### Environmental precautions:

Should not be released into the environment

Prevent from reaching drains, sewer or waterway

### Methods and material for containment and cleaning up:

Wear protective eye wear, gloves and clothing

Absorb with non-combustible liquid-binding material (sand, diatomaceous earth (clay), acid binders, universal binders)

Dispose of contents / container in accordance with local regulations

### Reference to other sections:

Not determined or not applicable.

## SECTION 7: Handling and storage

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 07.25.2018

Page 4 of 10

## Clear Epoxy Resin - Part A

### Precautions for safe handling:

- Use only with adequate ventilation.
- Avoid breathing mist or vapor.
- Do not eat, drink, smoke or use personal products when handling chemical substances.

### Conditions for safe storage, including any incompatibilities:

- Keep container tightly sealed.
- Protect from freezing and physical damage.
- Store in a cool, well-ventilated area.

## SECTION 8: Exposure controls/personal protection

Only those substances with limit values have been included below.

### Occupational Exposure limit values:

No occupational exposure limits noted for the ingredient(s).

### Biological limit values:

No biological exposure limits noted for the ingredient(s).

### Information on monitoring procedures:

Monitoring of the concentration of substances in the breathing zone of workers or in the general workplace may be required to confirm compliance with an OEL and adequacy of exposure controls. Biological monitoring may also be appropriate for some substances.

### Appropriate engineering controls:

- Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use or handling.
- Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor and mists below the applicable workplace exposure limits (Occupational Exposure Limits-OELs) indicated above.

### Personal protection equipment

#### Eye and face protection:

Safety goggles or glasses, or appropriate eye protection.

#### Skin and body protection:

- Select glove material impermeable and resistant to the substance.
- Wear appropriate clothing to prevent any possibility of skin contact.

#### Respiratory protection:

If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.

### General hygienic measures:

- Avoid contact with skin, eyes and clothing.
- Wash hands before breaks and at the end of work.
- Wash contaminated clothing before reuse.

## SECTION 9: Physical and chemical properties

### Information on basic physical and chemical properties

Appearance	Clear liquid
Odor	Not determined or not available.
Odor threshold	Not determined or not available.
pH	Not determined or not available.

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 07.25.2018

Page 5 of 10

## Clear Epoxy Resin - Part A

Melting point/freezing point	Not determined or not available.
Initial boiling point/range	Not determined or not available.
Flash point (closed cup)	135°C (275°F)
Evaporation rate	Not determined or not available.
Flammability (solid, gas)	Not determined or not available.
Upper flammability/explosive limit	Not determined or not available.
Lower flammability/explosive limit	Not determined or not available.
Vapor pressure	Not determined or not available.
Vapor density	Not determined or not available.
Density	1.15 g/cm <sup>3</sup>
Relative density	Not determined or not available.
Solubilities	Not determined or not available.
Partition coefficient (n-octanol/water)	Not determined or not available.
Auto/Self-ignition temperature	Not determined or not available.
Decomposition temperature	Not determined or not available.
Dynamic viscosity	Not determined or not available.
Kinematic viscosity	Not determined or not available.
Explosive properties	Not determined or not available.
Oxidizing properties	Not determined or not available.

### Other information

#### SECTION 10: Stability and reactivity

##### Reactivity:

Does not react under normal conditions of use and storage.

##### Chemical stability:

Stable under normal conditions of use and storage.

##### Possibility of hazardous reactions:

None under normal conditions of use and storage.

##### Conditions to avoid:

None known.

##### Incompatible materials:

None known.

##### Hazardous decomposition products:

None known.

#### SECTION 11: Toxicological information

##### Acute toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:** No data available.

**Substance data:** No data available.

##### Skin corrosion/irritation

**Assessment:**

Causes skin irritation

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 07.25.2018

Page 6 of 10

## Clear Epoxy Resin - Part A

### Product data:

No data available.

### Substance data:

Name	Result
Epoxy Resin	Causes skin irritation.
P-tert-butylphenyl 1-(2,3-epoxy)propyl ether	Causes skin irritation

### Serious eye damage/irritation

#### Assessment:

Causes serious eye irritation

#### Product data:

No data available.

#### Substance data:

Name	Result
Epoxy Resin	Causes serious eye irritation.
P-tert-butylphenyl 1-(2,3-epoxy)propyl ether	Causes serious eye damage

### Respiratory or skin sensitization

#### Assessment:

May cause an allergic skin reaction

#### Product data:

No data available.

#### Substance data:

Name	Result
Epoxy Resin	May cause an allergic skin reaction.
P-tert-butylphenyl 1-(2,3-epoxy)propyl ether	Result : May cause sensitisation by skin contact.

### Carcinogenicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:** No data available.

**Substance data:** No data available.

**International Agency for Research on Cancer (IARC):** None of the ingredients are listed.

**National Toxicology Program (NTP):** None of the ingredients are listed.

### Germ cell mutagenicity

**Assessment:** Based on available data, the classification criteria are not met.

#### Product data:

No data available.

**Substance data:** No data available.

### Reproductive toxicity

**Assessment:** Based on available data, the classification criteria are not met.

#### Product data:

No data available.

**Substance data:** No data available.

### Specific target organ toxicity (single exposure)

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 07.25.2018

Page 7 of 10

## Clear Epoxy Resin - Part A

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:**

No data available.

**Substance data:** No data available.

**Specific target organ toxicity (repeated exposure)**

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:**

No data available.

**Substance data:** No data available.

**Aspiration toxicity**

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:**

No data available.

**Substance data:** No data available.

**Information on likely routes of exposure:**

No data available.

**Symptoms related to the physical, chemical and toxicological characteristics:**

No data available.

**Other information:**

No data available.

## SECTION 12: Ecological information

**Acute (short-term) toxicity**

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:** No data available.

**Substance data:**

Name	Result
Epoxy Resin	EC50 - Scenedesmus capricornutum - 9 mg/L - 48 h

**Chronic (long-term) toxicity**

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:** No data available.

**Substance data:** No data available.

**Persistence and degradability**

**Product data:** No data available.

**Substance data:** No data available.

**Bioaccumulative potential**

**Product data:** No data available.

**Substance data:** No data available.

**Mobility in soil**

**Product data:** No data available.

**Substance data:** No data available.

**Other adverse effects:** No data available.

## SECTION 13: Disposal considerations

**Disposal methods:**

It is the responsibility of the waste generator to properly characterize all waste materials according to

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 07.25.2018

Page 8 of 10

## Clear Epoxy Resin - Part A


applicable regulatory entities

### SECTION 14: Transport information


#### United States Transportation of dangerous goods (49 CFR DOT)

UN number	Not Regulated
UN proper shipping name	Not Regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None

#### International Maritime Dangerous Goods (IMDG)

UN number	UN 3082
UN proper shipping name	Environmentally hazardous substance, liquid, N.O.S. (Phenol, 4,4'-(1-methylethylidene)bis-, polymer with 2-(chloromethyl)oxiran, P-tert-butylphenyl 1-(2,3-epoxy)propyl ether)
UN transport hazard class(es)	9 
Packing group	III
Environmental hazards	Marine Pollutant
Special precautions for user	None
EmS number	F-A, S-F
Stowage category	A
Excepted quantities	E1
Limited quantity	5L

#### International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

UN number	UN 3082
UN proper shipping name	Environmentally hazardous substance, liquid, N.O.S. (Phenol, 4,4'-(1-methylethylidene)bis-, polymer with 2-(chloromethyl)oxiran, P-tert-butylphenyl 1-(2,3-epoxy)propyl ether)
UN transport hazard class(es)	9 
Packing group	III
Environmental hazards	Marine Pollutant
Special precautions for user	None
ERG code	9L
Excepted quantities	E1
Passenger and cargo	450L
Cargo aircraft only	450L
Limited quantity	30 Kg G



# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 07.25.2018

Page 9 of 10

## Clear Epoxy Resin - Part A

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Bulk Name None

Ship type None

Pollution category None

## SECTION 15: Regulatory information

### United States regulations

#### Inventory listing (TSCA):

25068-38-6	Epoxy Resin	Listed
3101-60-8	P-tert-butylphenyl 1-(2,3-epoxy)propyl ether	Listed

Significant New Use Rule (TSCA Section 5): Not determined.

Export notification under TSCA Section 12(b): Not determined.

SARA Section 302 extremely hazardous substances: Not determined.

#### SARA Section 313 toxic chemicals:

25068-38-6	Epoxy Resin	Not Listed
3101-60-8	P-tert-butylphenyl 1-(2,3-epoxy)propyl ether	Not Listed

CERCLA: Not determined.

RCRA: Not determined.

Section 112(r) of the Clean Air Act (CAA): Not determined.

#### Massachusetts Right to Know:

25068-38-6	Epoxy Resin	Not Listed
3101-60-8	P-tert-butylphenyl 1-(2,3-epoxy)propyl ether	Not Listed

#### New Jersey Right to Know:

25068-38-6	Epoxy Resin	Not Listed
3101-60-8	P-tert-butylphenyl 1-(2,3-epoxy)propyl ether	Not Listed

#### New York Right to Know:

25068-38-6	Epoxy Resin	Not Listed
3101-60-8	P-tert-butylphenyl 1-(2,3-epoxy)propyl ether	Not Listed

#### Pennsylvania Right to Know:

25068-38-6	Epoxy Resin	Not Listed
3101-60-8	P-tert-butylphenyl 1-(2,3-epoxy)propyl ether	Not Listed

California Proposition 65: None of the ingredients are listed.

## SECTION 16: Other information

## Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 07.25.2018

Page 10 of 10

### Clear Epoxy Resin - Part A

**Abbreviations and Acronyms:** None

**Disclaimer:**

This product has been classified in accordance with OSHA HCS 2012 guidelines. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

**NFPA:** 2-0-0

**HMIS:** 2-0-0

Initial preparation date: 07.25.2018

**End of Safety Data Sheet**

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 07.25.2018

Page 1 of 11

Revision date: 04.20.2020

## Clear Epoxy Hardener - Part B

### SECTION 1: Identification

#### Product identifier

Product name: Clear Epoxy Hardener - Part B

Product code: 50112, 50112H, 50114, 50114H, 50132, 50240, 50240H, 8212



#### Recommended use of the product and restriction on use

Relevant identified uses: Adhesive Part B

Uses advised against: Not determined or not applicable.

Reasons why uses advised against: Not determined or not applicable.

#### Manufacturer or supplier details

Manufacturer:

United States

J-B Weld Company, LLC

400 CMH Road

Sulphur Springs, TX 75482

903-885-7696

info@jbweld.com

#### Emergency telephone number:

United States

InfoTrac

Transportation Emergencies (24 hour): 1-800-535-5053

### SECTION 2: Hazard(s) identification

#### GHS classification:

Flammable liquids, category 4

Skin sensitization, category 1

Eye irritation, category 2A

Skin irritation, category 2

#### Label elements

##### Hazard pictograms:



Signal word: Warning

#### Hazard statements:

H227 Combustible liquid.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H315 Causes skin irritation.

#### Precautionary statements:

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P264 Wash skin thoroughly after handling.

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 07.25.2018

Page 2 of 11

Revision date: 04.20.2020

## Clear Epoxy Hardener - Part B

P261 Avoid breathing dust/fume/gas/mist/vapors/spray.

P272 Contaminated work clothing must not be allowed out of the workplace.

P370+P378 In case of fire: Use agents recommended in section 5 for extinction.

P321 Specific treatment (see supplemental first aid instructions on this label).

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P362 Take off contaminated clothing and wash before reuse

P333+P313 If skin irritation or a rash occurs: Get medical advice/attention

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists get medical advice/attention

P403+P235 Store in a well ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with local regulations.

**Hazards not otherwise classified:** None

## SECTION 3: Composition/information on ingredients

Identification	Name	Weight %
CAS number: 112-24-3	Amine # 1	<5
CAS number: 100-51-6	Liquid additive # 1	<2
CAS number: 72244-98-5	Curing Agent	<90
CAS number: 140-31-8	Amine # 2	<5
CAS number: 25620-58-0	Amine # 3	<5
CAS number: 39423-51-3	Amine # 4	<5
CAS number: 3033-62-3	Amine # 5	<1
CAS number: 919-30-2	Liquid additive # 2	<2

### Additional Information:

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of the OSHA Hazard Communication Standard (29 CFR §1910.1200).

## SECTION 4: First aid measures

### Description of first aid measures

#### General notes:

Not determined or not applicable.

#### After inhalation:

If inhaled, remove person to fresh air and place in a position comfortable for breathing. Keep person at rest. If breathing is difficult, administer oxygen. If breathing has stopped, provide artificial respiration. If experiencing respiratory symptoms, seek medical advice/attention

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 07.25.2018

Page 3 of 11

Revision date: 04.20.2020

## Clear Epoxy Hardener - Part B

### After skin contact:

Remove contaminated clothing and shoes. Rinse skin with copious amounts of water [shower] for several minutes. Launder contaminated clothing before reuse. If symptoms develop or persist, seek medical advice/attention

### After eye contact:

Rinse eyes with plenty of gently flowing lukewarm water for 15 minutes. Remove contact lenses if present and easy to do so. Protect unexposed eye. If symptoms develop or persist, seek medical advice/attention

### After swallowing:

If swallowed, DO NOT induce vomiting unless told to do so by a physician or poison control center. Rinse mouth with water. Never give anything by mouth to an unconscious person. If spontaneous vomiting occurs, place on the left side with head down to prevent aspiration of liquid into the lungs. If symptoms develop or persist, seek medical advice/attention

### Most important symptoms and effects, both acute and delayed

#### Acute symptoms and effects:

Skin contact may result in redness, pain, burning and inflammation  
Eye contact may result in irritation, redness, pain, inflammation, itching, burning and tearing  
Dermal exposure may cause an allergic skin reaction. Symptoms may include irritation, redness, pain, rash, inflammation, itching, burning and dermatitis  
Product is flammable. Exposure to sources of ignition may cause physical injury

#### Delayed symptoms and effects:

Effects are dependent on exposure (dose, concentration, contact time)

### Immediate medical attention and special treatment

#### Specific treatment:

Skin/eye burns require immediate treatment

#### Notes for the doctor:

Treat symptomatically

## SECTION 5: Firefighting measures

### Extinguishing media

#### Suitable extinguishing media:

Use Water (fog only), dry chemical, chemical foam, carbon dioxide, or alcohol-resistant foam

#### Unsuitable extinguishing media:

Not determined or not applicable.

### Specific hazards during fire-fighting:

Thermal decomposition can lead to release of irritating gases and vapors

### Special protective equipment for firefighters:

Use typical firefighting equipment, self-contained breathing apparatus, special tightly sealed suit

### Special precautions:

Shut off sources of ignition  
Carbon monoxide and carbon dioxide may form upon combustion  
Heating causes a rise in pressure, risk of bursting and combustion

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 07.25.2018

Page 4 of 11

Revision date: 04.20.2020

## Clear Epoxy Hardener - Part B

### SECTION 6: Accidental release measures

#### Personal precautions, protective equipment and emergency procedures:

- Ensure adequate ventilation
- Ensure air handling systems are operational
- Wear protective eye wear, gloves and clothing

#### Environmental precautions:

- Should not be released into the environment
- Prevent from reaching drains, sewer or waterway

#### Methods and material for containment and cleaning up:

- Wear protective eye wear, gloves and clothing
- Use spark-proof tools and explosion-proof equipment
- Absorb with non-combustible liquid-binding material (sand, diatomaceous earth (clay), acid binders, universal binders)
- Dispose of contents / container in accordance with local regulations

#### Reference to other sections:

Not determined or not applicable.

### SECTION 7: Handling and storage

#### Precautions for safe handling:

- Use only with adequate ventilation.
- Avoid breathing mist or vapor.
- Do not eat, drink, smoke or use personal products when handling chemical substances.
- Take precautionary measures against electrostatic discharges.
- Use only non-sparking tools.

#### Conditions for safe storage, including any incompatibilities:

- Keep container tightly sealed.
- Protect from freezing and physical damage.
- Store in a cool, well-ventilated area.
- Store away from all ignition sources (open flames, hot surfaces, direct sunlight, spark sources).

### SECTION 8: Exposure controls/personal protection

Only those substances with limit values have been included below.

#### Occupational Exposure limit values:

Country (Legal Basis)	Substance	Identifier	Permissible concentration
WEEL	Liquid additive # 1	100-51-6	WEEL TWA 10.0 ppm
	Amine # 1	112-24-3	WEEL TWA 1.0 ppm
ACGIH	Amine # 5	3033-62-3	ACGIH TLV TWA 0.05 ppm
	Amine # 5	3033-62-3	ACGIH TLV STEL 0.15 ppm

#### Biological limit values:

No biological exposure limits noted for the ingredient(s).

#### Information on monitoring procedures:

Monitoring of the concentration of substances in the breathing zone of workers or in the general workplace may be required to confirm compliance with an OEL and adequacy of exposure controls.

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 07.25.2018

Page 5 of 11

Revision date: 04.20.2020

## Clear Epoxy Hardener - Part B

Biological monitoring may also be appropriate for some substances.

### Appropriate engineering controls:

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use or handling.

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor and mists below the applicable workplace exposure limits (Occupational Exposure Limits-OELs) indicated above.

Use explosion-proof ventilation equipment.

### Personal protection equipment

#### Eye and face protection:

Safety goggles or glasses, or appropriate eye protection.

#### Skin and body protection:

Select glove material impermeable and resistant to the substance.

Wear appropriate clothing to prevent any possibility of skin contact.

#### Respiratory protection:

If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.

### General hygienic measures:

Avoid contact with skin, eyes and clothing.

Wash hands before breaks and at the end of work.

Wash contaminated clothing before reuse.

## SECTION 9: Physical and chemical properties

### Information on basic physical and chemical properties

Appearance	Clear liquid
Odor	Not determined or not available.
Odor threshold	Not determined or not available.
pH	Not determined or not available.
Melting point/freezing point	Not determined or not available.
Initial boiling point/range	Not determined or not available.
Flash point (closed cup)	67°C (153°F)
Evaporation rate	Not determined or not available.
Flammability (solid, gas)	Not determined or not available.
Upper flammability/explosive limit	Not determined or not available.
Lower flammability/explosive limit	Not determined or not available.
Vapor pressure	Not determined or not available.
Vapor density	Not determined or not available.
Density	1.127 g/cm <sup>3</sup>
Relative density	Not determined or not available.
Solubilities	Not determined or not available.
Partition coefficient (n-octanol/water)	Not determined or not available.
Auto/Self-ignition temperature	Not determined or not available.
Decomposition temperature	Not determined or not available.

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 07.25.2018

Page 6 of 11

Revision date: 04.20.2020

## Clear Epoxy Hardener - Part B

Dynamic viscosity	Not determined or not available.
Kinematic viscosity	Not determined or not available.
Explosive properties	Not determined or not available.
Oxidizing properties	Not determined or not available.

### Other information

#### SECTION 10: Stability and reactivity

##### Reactivity:

Does not react under normal conditions of use and storage.

##### Chemical stability:

Stable under normal conditions of use and storage.

##### Possibility of hazardous reactions:

None under normal conditions of use and storage.

##### Conditions to avoid:

None known.

##### Incompatible materials:

None known.

##### Hazardous decomposition products:

None known.

#### SECTION 11: Toxicological information

##### Acute toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:** No data available.

##### Substance data:

Name	Route	Result
Liquid additive #1	inhalation	LC50 Rat: 4.178 mg/L (4 hr)
	oral	LD50 Rabbit: 1,040 mg/kg
Amine # 4	oral	LD50 - Rat - 550 mg/kg
	dermal	LD50 - Rat - > 1,000 mg/kg
Amine # 5	oral	LD50 - Rat - 571 mg/kg
	inhalation	LC50 - Rat - 4.0 mg/L - 4 h (aerosol)
	dermal	LD50 - Rabbit - 750 mg/kg
Liquid additive #2	oral	LD50 Rat: 1780 mg/kg
2-piperazin-1-ylethylamine	dermal	LD50 Rabbit: 867 mg/kg
	oral	LD50 - Rat: 1470 mg/kg

##### Skin corrosion/irritation

##### Assessment:

Causes skin irritation

##### Product data:

Skin testing was performed per the OECD 435 methods using the Corrositex testing process, indicating the product is non-corrosive to skin.



# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 07.25.2018

Page 7 of 11

Revision date: 04.20.2020

## Clear Epoxy Hardener - Part B

### Substance data:

Name	Result
Amine # 3	Causes skin burns
Amine # 1	Causes severe skin burns and eye damage.
Amine # 5	Corrosive to the skin.
Liquid additive #2	Causes severe skin burns and eye damage.
Amine # 2	Causes severe skin burns and eye damage.

### Serious eye damage/irritation

#### Assessment:

Causes serious eye irritation

#### Product data:

No data available.

#### Substance data:

Name	Result
Amine # 4	Corrosive to the eyes.
Amine # 5	Corrosive effect on the eyes.

### Respiratory or skin sensitization

#### Assessment:

May cause an allergic skin reaction

#### Product data:

No data available.

#### Substance data:

Name	Result
Curing Agent	May cause an allergic skin reaction.
Amine # 3	Sensitization possible through skin contact.
Amine # 1	May cause an allergic skin reaction.
Amine # 2	May cause an allergic skin reaction.

### Carcinogenicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:** No data available.

**Substance data:** No data available.

**International Agency for Research on Cancer (IARC):** None of the ingredients are listed.

**National Toxicology Program (NTP):** None of the ingredients are listed.

### Germ cell mutagenicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:**

No data available.

**Substance data:** No data available.

### Reproductive toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:**

No data available.

**Substance data:** No data available.

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 07.25.2018

Page 8 of 11

Revision date: 04.20.2020

## Clear Epoxy Hardener - Part B

### Specific target organ toxicity (single exposure)

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:**

No data available.

**Substance data:** No data available.

### Specific target organ toxicity (repeated exposure)

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:**

No data available.

**Substance data:** No data available.

### Aspiration toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:**

No data available.

**Substance data:** No data available.

### Information on likely routes of exposure:

No data available.

### Symptoms related to the physical, chemical and toxicological characteristics:

No data available.

### Other information:

No data available.

## SECTION 12: Ecological information

### Acute (short-term) toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:** No data available.

**Substance data:**

Name	Result
Amine # 1	LC50 - Daphnia magna (Water flea) - 33.9 mg/L - 48 h
Amine # 4	EC50 - Pseudokirchnerella subcapitata - 4.4 mg/L - 72 h
2-piperazin-1-ylethylamine	LC50 Fathead Minnows (Pimephales promelas): 2190 mg/l (96 h)
	EC50 Daphnia magna: 58 mg/L (48 hr)

### Chronic (long-term) toxicity

**Assessment:** Harmful to aquatic life with long lasting effects.

**Product data:** No data available.

**Substance data:**

Name	Result
Curing Agent	NOEC - Daphnia magna (Water flea) - 3.5 mg/L - 21 d

### Persistence and degradability

**Product data:** No data available.

**Substance data:** No data available.

### Bioaccumulative potential

**Product data:** No data available.

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 07.25.2018

Page 9 of 11

Revision date: 04.20.2020

## Clear Epoxy Hardener - Part B

**Substance data:** No data available.

### Mobility in soil

**Product data:** No data available.

**Substance data:** No data available.

**Other adverse effects:** No data available.

## SECTION 13: Disposal considerations

### Disposal methods:

It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities

## SECTION 14: Transport information

### United States Transportation of dangerous goods (49 CFR DOT)

UN number	NA 1993
UN proper shipping name	Combustible liquid, n.o.s.
UN transport hazard class(es)	Comb liq
Packing group	III
Environmental hazards	None
Special precautions for user	None
Additional Information	This material is not subject to the Hazardous Materials Regulations as it is a combustible liquid shipped in a non-bulk packaging, therefore meeting the criteria specified in 49 CFR 173.150(f)(2).

### International Maritime Dangerous Goods (IMDG)

UN number	Not regulated
UN proper shipping name	Not regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None

### International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

UN number	Not regulated
UN proper shipping name	Not regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 07.25.2018

Page 10 of 11

Revision date: 04.20.2020

## Clear Epoxy Hardener - Part B

### SECTION 15: Regulatory information

#### United States regulations

##### Inventory listing (TSCA):

72244-98-5	Curing Agent	Listed
100-51-6	Liquid additive # 1	Listed
140-31-8	Amine # 2	Listed
25620-58-0	Amine # 3	Listed
112-24-3	Amine # 1	Listed
39423-51-3	Amine # 4	Listed
3033-62-3	Amine # 5	Listed
919-30-2	Liquid additive # 2	Listed

**Significant New Use Rule (TSCA Section 5):** None of the ingredients are listed.

**Export notification under TSCA Section 12(b):** None of the ingredients are listed.

**SARA Section 302 extremely hazardous substances:** None of the ingredients are listed.

**SARA Section 313 toxic chemicals:** None of the ingredients are listed.

**CERCLA:** None of the ingredients are listed.

**RCRA:** None of the ingredients are listed.

**Section 112(r) of the Clean Air Act (CAA):** None of the ingredients are listed.

##### Massachusetts Right to Know:

72244-98-5	Curing Agent	Not Listed
100-51-6	Liquid additive # 1	Listed
140-31-8	Amine # 2	Listed
25620-58-0	Amine # 3	Not Listed
112-24-3	Amine # 1	Listed
39423-51-3	Amine # 4	Not Listed
3033-62-3	Amine # 5	Not Listed
919-30-2	Liquid additive # 2	Not Listed

##### New Jersey Right to Know:

72244-98-5	Curing Agent	Not Listed
100-51-6	Liquid additive # 1	Not Listed
140-31-8	Amine # 2	Listed
25620-58-0	Amine # 3	Listed
112-24-3	Amine # 1	Listed
39423-51-3	Amine # 4	Not Listed
3033-62-3	Amine # 5	Listed
919-30-2	Liquid additive # 2	Not Listed

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 07.25.2018

Page 11 of 11

Revision date: 04.20.2020

## Clear Epoxy Hardener - Part B

### New York Right to Know:

72244-98-5	Curing Agent	Not Listed
100-51-6	Liquid additive # 1	Not Listed
140-31-8	Amine # 2	Listed
25620-58-0	Amine # 3	Listed
112-24-3	Amine # 1	Listed
39423-51-3	Amine # 4	Not Listed
3033-62-3	Amine # 5	Not Listed
919-30-2	Liquid additive # 2	Not Listed

### Pennsylvania Right to Know:

72244-98-5	Curing Agent	Not Listed
100-51-6	Liquid additive # 1	Listed
140-31-8	Amine # 2	Listed
25620-58-0	Amine # 3	Not Listed
112-24-3	Amine # 1	Listed
39423-51-3	Amine # 4	Not Listed
3033-62-3	Amine # 5	Not Listed
919-30-2	Liquid additive # 2	Not Listed

California Proposition 65: None of the ingredients are listed.

## SECTION 16: Other information

**Abbreviations and Acronyms:** None

**Disclaimer:**

This product has been classified in accordance with OSHA HCS 2012 guidelines. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

**NFPA:** 2-1-0

**HMIS:** 2-1-0

**Initial preparation date:** 07.25.2018

**Revision date:** 04.20.2020

**End of Safety Data Sheet**