### **SECTION 1: Product and Company Identification**



Product Name: A-9

Recommended Use: Aluminum cutting fluid

**Manufacturer Information:** 

Relton Corporation-Chemical Division Phone: (800)-423-1505
317 Rolyn Place Emergency Number (24 hours):
Arcadia, CA 91007-2838 CHEMTREC 800-424-9300

### **SECTION 2: Hazards Identification**

GHS Classification: None required

GHS Label Elements: None required

Signal Word: None required

Hazard Statements: None required

Precautionary Statements None required

# SECTION 3: Composition/Information on Ingredients

Chemical Name	CAS#	%	
Mineral oil	64742-54-7	70-90	

#### SECTION 4: First Aid Measures

#### Genera

Contaminated individuals of chemical exposure must be taken for medical attention if any adverse effects occur. When possible bring along copy of label and SDS to health professional.

Inhalation: May cause mild respiratory tract irritation. Remove individual to fresh air. If breathing

is difficult give oxygen.

Skin Contact: Flush the affected area with water for 15 minutes minimum. Remove exposed or

contaminated clothing and shoes. Wash contaminated clothing before reuse. Seek

medical attention if irritation develops.

Eye Contact: Remove contact lenses if present. Rinse eyes thoroughly with water for 15 minutes

minimum. Seek medical attention if eye irritation develops or persists.

Ingestion: If conscious give one cup of water or milk if available and transport to a medical

facility. Do not give anything by mouth to an unconscious person.

Most important symptoms

acute or delayed: Not available

Recommendations for immediate medical

care and special treatment: Not available

RELTON CORP. Safety Data Sheet A-9

## **SECTION 5: Fire Fighting Measures**

Suitable extinguishing media: Slightly combustible. Use carbon dioxide, extinguishing powder or foam. Avoid water spray.

Unsuitable extinguishing media: Not available

Specific hazards arising Combustion may generate carbon monoxide and carbon dioxide

during fire:

Flammable vapors may be generated when heated above flash point.

Firefighting equipment: Firefighters should wear suitable protective equipment

Firefighting instructions: Evacuate personnel to a safe area. Firefighters should use self contained breathing

equipment and protective clothing. Keep containers cool with water spray.

#### SECTION 6: Accidental Release Measures

Personal Precautions: Wear appropriate protective equipment and clothing during clean up. Keep

unprotected persons away.

**Environmental Precautions**Do not allow product to enter sewers, surface or ground waters.

Methods and materials for Contain and recover liquid when possible. Absorb with suitable absorbent and place

containment and cleanup: in a chemical waste container for proper disposal (see Section 13, Disposal

Considerations).

## SECTION 7: Handling and Storage

Precautions for safe handling: As with all chemical products, avoid contact and wash thoroughly after handling.

Do not eat, drink or smoke while using this product. Use only in well-ventilated areas. Remove contaminated clothing and protective equipment before entering eating areas.

Conditions for safe storage

including incompatibilites: tightly closed in cool, dry, ventilated area. Keep out of direct sunlight and away from

heat and incompatible materials. Avoid contact with acids, oxidizing agents, and

All personnel who handle this product should be trained in its safe handling. Store

caustics.

#### SECTION 8: Exposure Controls/Personal Protection

#### **Exposure limit values**

Material	CAS#	List	Туре	Value
oil mists		OSHA	PEL	5 mg/m3
		ACGIH	TLV	5 mg/m3

Appropriate Engineering Controls: Provide sufficient mechanical (general/and or local exhaust) ventilation to maintain

exposure below exposure guidelines, if applicable, or below levels that cause known,

suspected, or adverse effects.

**Personal Protective Measures** 

Eye/face protection: Use chemical goggles or full face shield.

**Hand protection:** Use chemically-resistant gloves.

Respiratory protection: Not required under normal conditions of use. If airborne concentrations exceed

applicable exposure limits, use NIOSH approved respiratory protection.

Thermal hazards: Not available

General hygiene considerations: Handle in accordance with good industrial hygiene and safety practice.

Eyewash station and safety shower should be in vicinity of work area.

RELTON CORP. Safety Data Sheet A-9

### **SECTION 9: Physical and Chemical Properties**

Appearance:

Odor:

Odor threshold:

pH:

Not available

Solubility in water:

Viscosity:

Specific Gravity:

Light green oil

petroleum

Not available

Not applicable

Insoluble

Not available

O.88

Melting point: Not available Freezing point: Not available

Initial boiling point

and boiling range:Not availableFlash point:>177 (COC)Evaporation rate:Not availableFlammability (solid, gas):Not available

Upper/Lower flammability or explosive limits (%)
Flammability limit-lower: Not available

Flammability limit-upper: Not available Explosive limit-lower: Not available Explosive limit-upper: Not available

Vapor pressure <0.01 mmHg @ 20 C Vapor density Heavier than air

Partition coefficient

 (octanol:water)
 Not available

 Auto-ignition temperature
 Not available

 Decomposition temperature
 Not available

 Decomposition temperature
 Not available

### SECTION 10: Stability and Reactivity

Reactivity: No reactivity hazards are known.

Chemical Stability: Material is stable under normal conditions of storage and handling.

Possibility of No hazardous reactions are known under normal conditions of use.

hazardous reactions:

Conditions to avoid: Keep away from heat, sparks, open flames. Protect from freezing.

Materials to avoid: Do not store with strong oxidizing agents. Keep away from heat, sparks, open flames, or

all sources of ignition.

Hazardous decomposition

products:

May include carbon monoxide and carbon dioxide

# **SECTION 11: Toxicological Information**

### **Acute Toxicity:**

Petroleum distillates, hydrotreated heavy paraffinic

Ingestion LD50, rat, >5000 mg/kg

Dermal LD50, rabbit, 5000 mg/kg (Category 5) Inhalation LD50, mg/L/4hr, not available

Skin: Not expected to be a primary skin irritant. Prolonged or repeated contact may cause

irritation.

**Eyes:** Not expected to cause eye irritation.

**RELTON CORP. Safety Data Sheet** A-9

> Inhalation: May cause mild irritation of the respiratory tract with prolonged exposure.

Ingestion: Ingestion may cause irritation of the gastrointestinal lining, nausea, vomiting, diarrhea,

and abdominal pain.

Delayed and immediate

effects of exposure: Not available.

Carcinogenicity:

IARC: No ingredient is considered to be carcinogenic.

NTP: No ingredient is considered to be carcinogenic.

**SECTION 12: Ecological Information** 

**Ecotoxicity:** Not available.

Bioaccumulation potential: Not available.

Mobility: Not available.

Other adverse effects: This material is expected to have adverse effects on marine and plant life. Spills may

contaminate drinking water.

**SECTION 13: Disposal Considerations** 

Waste disposal must be in accordance with appropriate US Federal, State and Local **Disposal instructions:** 

regulations.

Disposal of contaminated Dispose of as unused product.

containers or packaging:

**SECTION 14: Transportation Information** 

**UN Number:** Not regulated Oil, N.O.S. UN proper shipping name: Transport hazard class: Not regulated Not applicable Packing group:

Marine pollutant: No

**SECTION 15: Regulatory Information** 

**Toxic Substances Control Act** All components of this product are on the TSCA Inventory or are exempt from

reporting requirements.

SARA 302 Extremely Hazardous

Substances:

(TSCA):

No

SARA 311/312 Classification:

Immediate hazard Yes Delayed hazard No Fire hazard Nο Reactive hazard Nο Pressure hazard No

**SARA 313 Components:** No

## California Proposition 65 (Safe Drinking Water and Toxic Enforcement Act of 1986):

This product contains no listed substances known to the State of California to cause cancer, birth defects or other reproductive harm

## **HMIS Information:**

Health	1
Flammability	1
Reactivity	0
Personal Protection	С



## **SECTION 16: Other Information**

Issue date: March 30, 2015
Revision date: New issue
Version: 1.0

Prepared by: Dr. William M. Fruscella, Consulting Chemist

**Disclaimer:** Relton Corporation products are manufactured for professional and industrial use only. Relton Corporation believes the information contained herein is valid and accurate and makes no representation or warranty, express or implied, including the warranties of merchantablility and fitness, for a particular purpose with respect to the information contained herein.