# SAFETY DATA SHEET



1. Identification

Product identifier Cerave® Moisturizing Cream

Other means of identification Not available.

Recommended use Consumer product: This safety data sheet is written to provide health, safety and environmental

information for people handling this formulated product in the workplace. It is not intended to

provide information relevant to consumer use of the product.

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Company name Valeant Pharmaceuticals International, Inc.

Address 2150 St. Elzéar Blvd. West

Laval, Quebec H7L 4AB

Canada

**Telephone** Customer Support 1-800-321-4576

**E-mail** Not available.

**Emergency phone number** For Emergency - US 1-800-535-5053

For Emergency - International 1-352-323-3500

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Serious eye damage/eye irritation Category 2B

Environmental hazards Not classified.

OSHA defined hazards Not classified.

Label elements

Hazard symbol None.

Signal word Warning

**Hazard statement** May cause serious eye irritation with direct contact.

**Precautionary statement** 

**Prevention** Wash thoroughly after handling.

Response If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

**Storage** Store away from incompatible materials.

**Disposal** Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

# 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
BEHENTRIMONIUM METHOSULFATE		81646-13-1	*
CAPRYLIC/CAPRIC TRIGLYCERIDE		73398-61-5	*
CARBOMER		9007-20-9	*
CERAMIDES		100403-19-8	*
CETEARETH-20		68439-49-6	*
CETEARYL ALCOHOL		67762-27-0	*
CETYL ALCOHOL		36653-82-4	*

Material name: Cerave® Moisturizing Cream 987 Version #: 01 Issue date: 11-21-2014

Chemical name	Common name and synonyms	CAS number	%
CHOLESTEROL		57-88-5	*
DIMETHICONE		9006-65-9	*
DIPOSTASSIUM PHOSPHATE		7758-11-4	*
DISODIUM EDTA		139-33-3	*
GLYCERIN		56-81-5	*
HYALURONIC ACID		9004-61-9	*
METHYL PARABEN		99-76-3	*
PETROLATUM		8009-03-8	*
PHENOXYETHANOL		122-99-6	*
PHYTOSPHINGOSINE		554-62-1	*
POTASSIUM PHOSPHATE, MONOBASIC		7778-77-0	*
PROPYL PARABEN		94-13-3	*
SODIUM LAUROYL LACTYLATE		13557-75-0	*
WATER		7732-18-5	*
XANTHAN GUM		11138-66-2	*

<sup>\*</sup>Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

# 4. First-aid measures

**Inhalation** Move to fresh air. Call a physician if symptoms develop or persist.

**Skin contact** Wash off with soap and water. Get medical attention if irritation develops and persists.

**Eye contact** Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

**Ingestion** Rinse mouth. Get medical attention if symptoms occur.

Most important

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation.

Irritation of eyes. Exposed individuals may experience eye tearing, redness, and discomfort.

**General information** Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

## 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

equipment/instructions

Move containers from fire area if you can do so without risk.

**Specific methods**Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards No unusual fire or explosion hazards noted.

# 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

**Environmental precautions** 

Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling Av

Avoid contact with eyes. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

Value

Form

## 8. Exposure controls/personal protection

# Occupational exposure limits

Components

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Typo

Components	туре	value	FOIIII
GLYCERIN (CAS 56-81-5)	PEL	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
PETROLATUM (CAS 8009-03-8)	PEL	5 mg/m3	Mist.
US. ACGIH Threshold Limit Value	es		
Components	Туре	Value	Form
PETROLATUM (CAS 8009-03-8)	TWA	5 mg/m3	Inhalable fraction.
US. NIOSH: Pocket Guide to Che	mical Hazards		
Components	Туре	Value	Form
PETROLATUM (CAS 8009-03-8)	STEL	10 mg/m3	Mist.
•	TWA	5 mg/m3	Mist.

Biological limit values
Appropriate engineering controls

No biological exposure limits noted for the ingredient(s). No special controls required during normal clinical use.

When handling bulk product Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.

Individual protection measures, such as personal protective equipment

**Eye/face protection** No eye protection required under conditions of intended use.

When handling bulk product: Wear safety glasses with side shields (or goggles).

Skin protection

**Hand protection** No hand protection required under conditions of intended use.

When handling bulk product: Wear appropriate chemical resistant gloves.

Other

No special precautions needed under conditions of intended use.

When handling bulk product: Wear suitable protective clothing.

**Respiratory protection** No respiratory protection required under conditions of intended use.

When handling bulk product: In case of insufficient ventilation, wear suitable respiratory

equipment.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

# 9. Physical and chemical properties

# **Appearance**

Physical stateSemi-solid.FormCream.ColorWhite

Odor Not available.
Odor threshold Not available.
pH Not available.
Melting point/freezing point Not available.
Initial boiling point and boiling Not available.

range

Flash point

Evaporation rate

Flammability (solid, gas)

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not available.

Vapor density Not available.

Relative density Not available.

Solubility(ies)

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Viscosity Not available.

Other information

Specific gravity 1.15 estimated

# 10. Stability and reactivity

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

**Hazardous decomposition** 

products

No hazardous decomposition products are known.

# 11. Toxicological information

# Information on likely routes of exposure

Inhalation Not available.

**Skin contact**No adverse effects due to skin contact are expected.

Eye contact Not available.

**Ingestion** Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics

Irritation of eyes. Exposed individuals may experience eye tearing, redness, and discomfort.

#### Information on toxicological effects

### Acute toxicity

Components Species Test Results

CETYL ALCOHOL (CAS 36653-82-4)

Acute

Oral

LD50 Mouse 3200 mg/kg

Rat 5 g/kg

Other

LD50 Mouse 1600 mg/kg

Rat 1600 mg/kg

METHYL PARABEN (CAS 99-76-3)

Acute Oral

LD50 Dog 3000 mg/kg

 Guinea pig
 3 g/kg

 Mouse
 8 g/kg

 Rabbit
 6 g/kg

Other

LD50 Mouse 0.96 g/kg

Rat > 0.5 g/kg

PHENOXYETHANOL (CAS 122-99-6)

Acute

Oral

LD50 Mouse 16500 mg/kg

Rat 1260 mg/kg

POTASSIUM PHOSPHATE, MONOBASIC (CAS 7778-77-0)

**Acute** 

Oral

LD50 Mouse 1700 mg/kg

PROPYL PARABEN (CAS 94-13-3)

Acute

Oral

LD50 Mouse 6 g/kg

Rabbit 6 g/kg

Other

LD50 Mouse 0.4 g/kg

**Skin corrosion/irritation** Not available.

Serious eye damage/eye

Direct contact with eyes may cause temporary irritation.

irritation

Respiratory or skin sensitization

Respiratory sensitization Not available.

**Skin sensitization** This product is not expected to cause skin sensitization.

**Germ cell mutagenicity**No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

CHOLESTEROL (CAS 57-88-5) 3 Not classifiable as to carcinogenicity to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

**US. National Toxicology Program (NTP) Report on Carcinogens** 

PETROLATUM (CAS 8009-03-8) Known To Be Human Carcinogen.

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

**Reproductive toxicity**This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not available.

# 12. Ecological information

**Ecotoxicity** 

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components		Species	Test Results
DIMETHICONE (CAS	9006-65-9)		
Aquatic			
Fish	LC50	Channel catfish (Ictalurus punctatus)	2.36 - 4.15 mg/l, 96 hours
GLYCERIN (CAS 56-	81-5)		
Aquatic			
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	51000 - 57000 mg/l, 96 hours
PHENOXYETHANOL	(CAS 122-99-6)		
Aquatic			
Fish	LC50	Fathead minnow (Pimephales promelas)	337 - 352 mg/l, 96 hours
XANTHAN GUM (CAS	S 11138-66-2)		
Aquatic			
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	320 - 560 mg/l, 96 hours

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available.

Partition coefficient n-octanol / water (log Kow)

GLYCERIN -1.76
PHENOXYETHANOL 1.16
PROPYL PARABEN 3.04

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

## 13. Disposal considerations

**Disposal instructions**Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

**Local disposal regulations** Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

**Contaminated packaging** Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

# 14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

Material name: Cerave® Moisturizing Cream 987 Version #: 01 Issue date: 11-21-2014

#### **IMDG**

Not regulated as dangerous goods.

Transport in bulk according to

Not established.

Annex II of MARPOL 73/78 and

the IBC Code

# 15. Regulatory information

**US federal regulations** 

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

One or more components are not listed on TSCA.

#### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

#### **CERCLA Hazardous Substance List (40 CFR 302.4)**

PHENOXYETHANOL (CAS 122-99-6)

Listed.

## SARA 304 Emergency release notification

Not regulated.

# OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

### Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

#### SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No

chemical

## SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.
PHENOXYETHANOL	122-99-6	*

## Other federal regulations

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

PHENOXYETHANOL (CAS 122-99-6)

#### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

## **US state regulations**

# US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed.

## **US. Massachusetts RTK - Substance List**

GLYCERIN (CAS 56-81-5) PETROLATUM (CAS 8009-03-8)

#### US. New Jersey Worker and Community Right-to-Know Act

**GLYCERIN (CAS 56-81-5)** 

PHENOXYETHANOL (CAS 122-99-6)

# US. Pennsylvania Worker and Community Right-to-Know Law

GLYCERIN (CAS 56-81-5) PETROLATUM (CAS 8009-03-8) PHENOXYETHANOL (CAS 122-99-6)

## US. Rhode Island RTK

PHENOXYETHANOL (CAS 122-99-6)

## **US. California Proposition 65**

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

#### **International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory No \*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

# 16. Other information, including date of preparation or last revision

**Issue date** 11-21-2014

Version # 01

**Disclaimer** Valeant cannot anticipate all conditions under which this information and its product, or the

products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the

sheet was written based on the best knowledge and experience currently available.

Material name: Cerave® Moisturizing Cream 987 Version #: 01 Issue date: 11-21-2014