

# SAFETY DATA SHEET

Classified in accordance 29 CFR 1910.1200

# 1. Identification

Product identifier: CLAIRE DISINFECTANT SPRAY Q

Other means of identification SDS number: RE1000038701

Recommended restrictions Recommended use: Disinfectant Restrictions on use: Not known.

Manufacturer/Importer/Distributor Information

Manufacturer	
Company Name:	CLAIRE MANUFACTURING COMPANY
Address:	1000 Integram Dr
	Pacific, MO 63069
	US
Telephone:	1-630-543-7600
	Pacific, MO 63069 US

Emergency telephone number: 1-866-836-8855

### 2. Hazard(s) identification

### **Hazard Classification**

Physical Hazards	
Flammable aerosol Health Hazards	Category 1
Serious Eye Damage/Eye Irritation	Category 2A
Skin sensitizer	Category 1
Specific Target Organ Toxicity - Repeated Exposure	Category 2

### Label Elements

Hazard Symbol:



 

 Signal Word:
 Danger

 Hazard Statement:
 Extremely flammable aerosol. Causes serious eye irritation. May cause an allergic skin reaction. May cause damage to organs through prolonged or repeated exposure.



Precautionary Statements	
Prevention:	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Contaminated work clothing should not be allowed out of the workplace. Do not breathe dust/fume/gas/mist/vapors/spray.
Response:	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF ON SKIN: Wash with plenty of water If skin irritation or rash occurs: Get medical advice/attention. Get medical advice/attention if you feel unwell. Specific treatment (see on this label). Wash contaminated clothing before reuse.
Storage:	Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.
Disposal:	Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.
Hazard(s) not otherwise classified (HNOC):	None.

### 3. Composition/information on ingredients

#### **Mixtures**

Chemical Identity	CAS number	Content in percent (%)*
Ethanol	64-17-5	10 - <20%
Ethanol, 2-(2-butoxyethoxy)-	112-34-5	10 - <20%
Propane	74-98-6	1 - <5%
Butane	106-97-8	1 - <5%
Glycine, N,N'-1,2-ethanediylbis[N-(carboxymethyl)-, sodium salt (1:4)	64-02-8	1 - <3%
2-Propanol, 2-methyl-	75-65-0	0.1 - <1%
Quaternary ammonium compounds, C12-14-	85409-23-0	0.1 - <0.25%
alkyl[(ethylphenyl)methyl]dimethyl, chlorides		

\* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

#### **Composition Comments:** The components are not hazardous or are below required disclosure limits.

The exact concentration has been withheld as a trade secret.

#### 4. First-aid measures

# Description of necessary first-aid measures

Inhalation: Move to fresh air.

Skin Contact:If skin irritation occurs: Get medical advice/attention. Destroy or<br/>thoroughly clean contaminated shoes. Immediately remove<br/>contaminated clothing and shoes and wash skin with soap and plenty<br/>of water. If skin irritation or an allergic skin reaction develops, get<br/>medical attention.



Version: 1.1 Revision Date: 09/15/2020

Eye contact:	Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Get medical attention.				
Ingestion:	Call a POISON CENTER/doctor if you feel unwell. Rinse mouth.				
Personal Protection for First- aid Responders:	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.				
Most important symptoms/effects, acute and delayed					
Symptoms:	No data available.				
Hazards:	No data available.				
Indication of immediate medica	I attention and special treatment needed				
Treatment:	Get medical attention if symptoms occur.				
5. Fire-fighting measures					
General Fire Hazards:	Use water spray to keep fire-exposed containers cool. Fight fire from a protected location. Move containers from fire area if you can do so without risk.				
Suitable (and unsuitable) extinguishing media					
Suitable extinguishing media:	Use fire-extinguishing media appropriate for surrounding materials.				
Unsuitable extinguishing media:	Do not use water jet as an extinguisher, as this will spread the fire.				
Specific hazards arising from the chemical:	Vapors may travel considerable distance to a source of ignition and flash back.				
Special protective equipment and precautions for firefighters					
Special fire fighting procedures:	No data available.				
Special protective equipment for fire-fighters:	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.				
6. Accidental release measur	es				
Personal precautions, protective equipment and emergency procedures:	Ventilate closed spaces before entering them. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep upwind. See Section 8 of the SDS for Personal Protective Equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away.				
Accidental release measures:	Prevent entry into waterways, sewer, basements or confined areas. Stop the flow of material, if this is without risk. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop leak if you can do so without risk.				



Methods and material for containment and cleaning up:	Absorb spill with vermiculite or other inert material, then place in a container for chemical waste.	
Environmental Precautions:	Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so.	
7. Handling and storage		
Handling		
Technical measures (e.g. Local and general ventilation):	No data available.	
Safe handling advice:	Avoid contact with eyes. Wash hands thoroughly after handling. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Avoid contact with eyes, skin, and clothing.	
Contact avoidance measures:	No data available.	
Storage		
Safe storage conditions:	Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use.Aerosol Level 1	
Safe packaging materials:	No data available.	
Storage Temperature:	No data available.	

# 8. Exposure controls/personal protection

# Control Parameters

Occupational Exposure Limits
------------------------------

Chemical Identity	Туре	Exposure L	imit Values	Source
Ethanol	REL	1,000 ppm	1,900 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
	PEL	1,000 ppm	1,900 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended
	TWA	1,000 ppm	1,900 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
	STEL	1,000 ppm		US. ACGIH Threshold Limit Values, as amended
Ethanol, 2-(2-butoxyethoxy)- - Inhalable fraction and vapor.	TWA	10 ppm		US. ACGIH Threshold Limit Values, as amended
Propane	REL	1,000 ppm	1,800 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
	PEL	1,000 ppm	1,800 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended
	TWA	1,000 ppm	1,800 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
Butane	REL	800 ppm	1,900 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
	STEL	1,000 ppm		US. ACGIH Threshold Limit Values, as amended
	TWA	800 ppm	1,900 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
2-Propanol, 2-methyl-	STEL	150 ppm	450 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
	TWA	100 ppm	300 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
	PEL	100 ppm	300 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended



	TWA	100 ppm		US. ACGIH Threshold Limit Values, as amended
	STEL	150 ppm	450 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as
				amended
	REL	100 ppm	300 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as
				amended
2,6-Octadienal, 3,7-dimethyl- - Inhalable fraction and vapor.	TWA	5 ppm		US. ACGIH Threshold Limit Values, as amended
Sodium hydroxide (Na(OH))	Ceiling		2 mg/m3	US. ACGIH Threshold Limit Values, as amended
	Ceiling		2 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
	Ceil_Time		2 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
	PEL		2 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended
Ethanol, 2-butoxy-	TWA	20 ppm		US. ACGIH Threshold Limit Values, as amended
	REL	5 ppm	24 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
	PEL	50 ppm	240 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended
	TWA	25 ppm	120 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
Ammonium hydroxide ((NH4)(OH))	STEL	35 ppm		US. ACGIH Threshold Limit Values, as amended
	TWA	25 ppm		US. ACGIH Threshold Limit Values, as amended
	STEL	35 ppm	27 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
	STEL	35 ppm	27 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
	REL	25 ppm	18 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
	PEL	50 ppm	35 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended

# **Biological Limit Values**

Chemical Identity	Exposure Limit Values	Source
Ethanol, 2-butoxy- (Butoxyacetic acid (BAA), with hydrolysis: Sampling time: End of shift.)	200 mg/g (Creatinine in urine)	ACGIH BEL

# Exposure guidelines

 2,6-Octadienal, 3,7-	US. ACGIH Threshold Limit Values, as	Can be absorbed through
dimethyl-	amended	the skin.

Appropriate Engineering	
Controls	

No data available.

# Individual protection measures, such as personal protective equipment

Eye/face protection:	Wear safety glasses with side shields (or goggles).
Skin Protection Hand Protection:	No data available.
Skin and Body Protection:	Wear chemical-resistant gloves, footwear, and protective clothing appropriate for the risk of exposure. Contact health and safety professional or manufacturer for specific information.
Respiratory Protection:	In case of inadequate ventilation use suitable respirator. Seek advice from local supervisor.
Hygiene measures:	Avoid contact with eyes. Observe good industrial hygiene practices. When using do not smoke. Contaminated work clothing should not be allowed out of the workplace. Avoid contact with skin.



# 9. Physical and chemical properties

Appearance	
Physical state:	liquid
Form:	Spray Aerosol
Color:	No data available.
Odor:	No data available.
Odor Threshold:	No data available.
pH:	No data available.
Freezing point:	No data available.
Boiling Point:	No data available.
Flash Point:	-104.44 °C
Evaporation Rate:	No data available.
Flammability (solid, gas):	No data available.
Explosive limit - upper (%):	No data available.
Explosive limit - lower (%):	No data available.
Vapor pressure:	5,171 - 6,550 hPa (20 °C)
Vapor density (air=1):	No data available.
Density:	No data available.
Relative density:	No data available.
Solubility in Water:	No data available.
Solubility (other):	No data available.
Partition coefficient (n-octanol/water):	No data available.
Self Ignition Temperature:	No data available.
Decomposition Temperature:	No data available.
Kinematic viscosity:	No data available.
Dynamic viscosity:	No data available.
Explosive properties:	No data available.
Oxidizing properties:	No data available.

# 10. Stability and reactivity

Reactivity:	No data available.
Chemical Stability:	Material is stable under normal conditions.
Possibility of hazardous reactions:	No data available.
Conditions to avoid:	Avoid heat or contamination.
Incompatible Materials:	No data available.
Hazardous Decomposition Products:	No data available.

# 11. Toxicological information

# Information on likely routes of exposure

Inhalation:	No data available.
Skin Contact:	No data available.

# SDS\_US - RE1000038701



Eye contact:	No data available.
Ingestion:	No data available.
Symptoms related to the physic	al, chemical and toxicological characteristics
Inhalation:	No data available.
Skin Contact:	No data available.
Eye contact:	No data available.
Ingestion:	No data available.
Information on toxicological effe	ects
Acute toxicity (list all possible	e routes of exposure)
Oral Product:	ATEmix: 16,286.29 mg/kg
Dermal Product:	Not classified for acute toxicity based on available data.
Inhalation Product:	Not classified for acute toxicity based on available data.
Repeated dose toxicity Product:	No data available.
Components: Ethanol	NOAEL (Rat(Male), Oral, 7 - 14 Weeks): 10 %(m) Oral Experimental result, Key study
Ethanol, 2-(2- butoxyethoxy)- Propane Butane Glycine, N,N'-1,2- ethanediylbis[N- (carboxymethyl)-, sodium salt (1:4)	NOAEL (Rat(Female, Male), Inhalation, 90 - 120 d): 14 ppm(m) Inhalation Experimental result, Key study NOAEL (Rat(Female, Male), Oral, 90 d): 250 mg/kg Oral Experimental result, Key study NOAEL (Rat(Female, Male), Dermal, 13 Weeks): > 2,000 mg/kg Dermal Experimental result, Key study NOAEL (Rat(Female, Male), Inhalation, >= 28 d): 4,000 ppm(m) Inhalation Experimental result, Key study LOAEL (Rat(Female, Male), Inhalation, >= 28 d): 12,000 ppm(m) Inhalation Experimental result, Key study LOAEL (Rat(Female, Male), Inhalation, >= 28 d): 12,000 ppm(m) Inhalation Experimental result, Key study NOAEL (Rat(Female, Male), Inhalation, >= 28 d): 12,000 ppm(m) Inhalation Experimental result, Key study LOAEL (Rat(Female, Male), Inhalation, >= 28 d): 4,000 ppm(m) Inhalation Experimental result, Key study NOAEL (Rat(Female, Male), Inhalation, >= 28 d): 4,000 ppm(m) Inhalation Experimental result, Key study LOAEL (Rat(Male), Inhalation, 1 - 5 d): 30 mg/m3 Inhalation Read-across from supporting substance (structural analogue or surrogate), Key study
butoxyethoxy)- Propane Butane Glycine, N,N'-1,2- ethanediylbis[N- (carboxymethyl)-, sodium	Experimental result, Key study NOAEL (Rat(Female, Male), Oral, 90 d): 250 mg/kg Oral Experimental result, Key study NOAEL (Rat(Female, Male), Dermal, 13 Weeks): > 2,000 mg/kg Dermal Experimental result, Key study NOAEL (Rat(Female, Male), Inhalation, >= 28 d): 4,000 ppm(m) Inhalation Experimental result, Key study LOAEL (Rat(Female, Male), Inhalation, >= 28 d): 12,000 ppm(m) Inhalation Experimental result, Key study LOAEL (Rat(Female, Male), Inhalation, >= 28 d): 12,000 ppm(m) Inhalation Experimental result, Key study NOAEL (Rat(Female, Male), Inhalation, >= 28 d): 12,000 ppm(m) Inhalation Experimental result, Key study NOAEL (Rat(Female, Male), Inhalation, >= 28 d): 4,000 ppm(m) Inhalation Experimental result, Key study NOAEL (Rat(Female, Male), Inhalation, >= 28 d): 4,000 ppm(m) Inhalation Experimental result, Key study LOAEL (Rat(Male), Inhalation, 1 - 5 d): 30 mg/m3 Inhalation Read-across

Non sensitising Non sensitising

Non sensitising



Glycine, N,N'-1,2- ethanediylbis[N- (carboxymethyl)-, sodium salt (1:4)	in vivo (Rabbit): Not irritant
Quaternary ammonium compounds, C12-14- alkyl[(ethylphenyl)meth yl]dimethyl, chlorides	Assessment Corrosive
Serious Eye Damage/Eye Irritatio Product: Components:	on No data available.
Ethanol	Rabbit, 1 - 24 hrs: Not irritating
Ethanol, 2-(2- butoxyethoxy)-	Rabbit, 24 - 72 hrs: Highly irritating
Respiratory or Skin Sensitizatior Product:	<b>n</b> No data available.
<b>Components:</b> Ethanol Ethanol, 2-(2- butoxyethoxy)- Glycine, N,N'-1,2-	Skin sensitization:, in vivo (Guinea pig): N Skin sensitization:, in vivo (Guinea pig): N Skin sensitization:, in vivo (Guinea pig): N
ethanediylbis[N- (carboxymethyl)-, sodium salt (1:4)	e eeee,e (eee p.g)
Carcinogenicity Product:	No data available.
IARC Monographs on the Evalua No carcinogenic components	tion of Carcinogenic Risks to Humans: s identified

US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogenic components identified

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended: No carcinogenic components identified

# Germ Cell Mutagenicity

In vitro **Product:** No data available.

In vivo **Product:** 

No data available.

#### **Reproductive toxicity Product:** No data available.

#### Specific Target Organ Toxicity - Single Exposure **Product:**

No data available.

Components:

2-Propanol, 2-methyl-Inhalation - dust and mist: Respiratory tract irritation. - Category 3 with respiratory tract irritation.



Specific Target Organ Toxicity - Repeated Expose Product: No data available	
Aspiration Hazard Product:	No data available.
Other effects:	No data available.

# 12. Ecological information

# Ecotoxicity:

# Acute hazards to the aquatic environment:

Fish Product:	No data available.
<b>Components:</b> Ethanol	LC 50 (Pimephales promelas, 96 h): 15.3 g/l Experimental result, Key study
Ethanol, 2-(2- butoxyethoxy)-	LC 50 (Pimephales promelas, 96 h): 2,400 mg/l Experimental result, Supporting study
Propane	LC 50 (Various, 96 h): 147.54 mg/l QSAR QSAR, Key study
Butane	LC 50 (Various, 96 h): 147.54 mg/l QSAR QSAR, Key study
Glycine, N,N'-1,2- ethanediylbis[N- (carboxymethyl)-, sodium salt (1:4)	NOAEL (Lepomis macrochirus, 96 h): 88 mg/l Experimental result, Key study LC 50 (Lepomis macrochirus, 96 h): 121 mg/l Experimental result, Key study
2-Propanol, 2-methyl-	LC 50 (Pimephales promelas, 96 h): > 961 mg/l Experimental result, Key study NOAEL (Pimephales promelas, 96 h): 961 mg/l Experimental result, Key study
Quaternary ammonium compounds, C12-14- alkyl[(ethylphenyl)methyl] dimethyl, chlorides	EC 50 (96 h): < 10 mg/l
Aquatic Invertebrates Product:	No data available.
<b>Components:</b> Ethanol	LC 50 (Ceriodaphnia dubia, 48 h): 5,012 mg/l Experimental result, Key study
Ethanol, 2-(2- butoxyethoxy)-	LC 50 (Daphnia magna, 48 h): +/- 1,743 mg/l QSAR QSAR, Supporting study
Butane	LC 50 (Daphnia sp., 48 h): 69.43 mg/l QSAR QSAR, Key study
Glycine, N,N'-1,2- ethanediylbis[N- (carboxymethyl)-, sodium salt (1:4)	EC 50 (Daphnia magna, 24 h): 610 mg/l Experimental result, Key study
2-Propanol, 2-methyl-	NOAEL (Daphnia magna, 48 h): 180 mg/l Experimental result, Key study EC 50 (Daphnia magna, 48 h): 933 mg/l Experimental result, Key study



Quaternary ammonium EC 50 : 0.015 mg/l compounds, C12-14alkyl[(ethylphenyl)methyl] dimethyl, chlorides Chronic hazards to the aquatic environment: Fish **Product:** No data available. **Components:** Ethanol NOAEL (Oryzias latipes): 7,900 mg/l Read-across from supporting substance (structural analogue or surrogate), Supporting study Glycine, N,N'-1,2-NOAEL (Danio rerio):  $\geq 25.7$  mg/l Read-across from supporting substance ethanediylbis[N-(structural analogue or surrogate), Key study (carboxymethyl)-, sodium salt (1:4) 2-Propanol, 2-methyl-NOAEL (Clarias gariepinus): 332 mg/l Experimental result, Key study NOEC (28 d): 0.032 mg/l Quaternary ammonium compounds, C12-14alkyl[(ethylphenyl)methyl] dimethyl, chlorides **Aquatic Invertebrates** Product: No data available. Components: Ethanol LC 50 (Daphnia magna): 454 mg/l Experimental result, Key study NOAEL (Daphnia magna): 9.6 mg/l Experimental result, Key study Glycine, N,N'-1,2-NOAEL (Daphnia magna): 25 mg/l Read-across from supporting substance ethanedivlbis[N-(structural analogue or surrogate), Key study (carboxymethyl)-, sodium salt (1:4) **Toxicity to Aquatic Plants** Product: No data available. Persistence and Degradability **Biodegradation** Product: No data available. Components: Ethanol 95 % Detected in water. Experimental result, Key study Ethanol, 2-(2-85 % (28 d) Detected in water. Experimental result, Key study butoxyethoxy)-Propane 100 % (385.5 h) Detected in water. Experimental result, Key study 50 % (3.19 d) Detected in water. QSAR, Weight of Evidence study **Butane** 100 % (385.5 h) Detected in water. Experimental result, Key study



Glycine, N,N'-1,2- ethanediylbis[N- (carboxymethyl)-, sodium salt (1:4)	90 - 100 % (28 d) Detected in water. Read-across from supporting substance (structural analogue or surrogate), Weight of Evidence study	
2-Propanol, 2-methyl-	2.6 - 5.1 % (29 d) Detected in water. Experimental result, Key study	
BOD/COD Ratio Product:	No data available.	
Bioaccumulative potential Bioconcentration Factor (I Product:	<b>3CF)</b> No data available.	
<b>Components:</b> Ethanol	Cyprinus carpio, Bioconcentration Factor (BCF): 4.5 Aquatic sediment Read- across from supporting substance (structural analogue or surrogate), Supporting study	
Glycine, N,N'-1,2- ethanediylbis[N- (carboxymethyl)-, sodium salt (1:4)	Lepomis macrochirus, Bioconcentration Factor (BCF): 1.8 Aquatic sediment Experimental result, Key study	
Partition Coefficient n-octanol Product:	<b><sup>7</sup> water (log Kow)</b> No data available.	
Mobility in soil:	No data available.	
<b>Components:</b> Ethanol Ethanol, 2-(2-butoxyetho: Propane Butane Glycine, N,N'-1,2-ethaned 2-Propanol, 2-methyl- Quaternary ammonium c alkyl[(ethylphenyl)methyl]	diylbis[N-(carboxymethyl)-, sodium salt (1:4) ompounds, C12-14-	No data available. No data available. No data available. No data available. No data available. No data available. No data available.
Other adverse effects:	No data available.	
13. Disposal considerations		
Disposal instructions:	Wash before disposal. Dispose to controlled facilities.	
Contaminated Packaging:	ckaging: No data available.	
14. Transport information		
DOT UN Number: UN Proper Shipping Name: Transport Hazard Class(es) Class: Label(s): EmS No.: Packing Group:	UN 1950 Aerosols, flammable 2.1 -	
Special precautions for user:	Not regulated.	



ΙΑΤΑ	
UN Number:	UN 1950
UN Proper Shipping Name:	Aerosols, flammable
Transport Hazard Class(es):	
Class:	2.1
Label(s):	-
Packing Group:	_
Special precautions for user:	Not regulated.
Other information	
Passenger and cargo aircraft:	Allowed. 203
Cargo aircraft only:	Allowed. 203
INDO	
IMDG	
UN Number:	UN 1950
UN Proper Shipping Name:	Aerosols, flammable
Transport Hazard Class(es)	2
Class:	2
Label(s):	-
EmS No.:	
Packing Group:	-
Special precautions for user:	Not regulated.

# 15. Regulatory information

#### **US Federal Regulations**

Restrictions on use: Not known.

#### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D) US. Toxic Substances Control Act (TSCA) Section 5(a)(2) Final Significant New Use Rules (SNURs) (40 CFR 721, Subpt E) US. OSHA Specifically Regulated Substances (29 CFR 1910 1001-1050), as amended

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended None present or none present in regulated guantities.

### CERCLA Hazardous Substance List (40 CFR 302.4):

<u>Chemical Identity</u> GLYCOL ETHERS UNLISTED HAZARDOUS WASTES CHARACTERISTIC OF IGNITABILITY RCRA HAZARDOUS WASTE NO. D001 SODIUM HYDROXIDE GLYCOL ETHERS AMMONIUM HYDROXIDE

### Superfund Amendments and Reauthorization Act of 1986 (SARA)

#### Hazard categories

Flammable aerosol, Serious Eye Damage/Eye Irritation, Skin sensitizer, Specific Target Organ Toxicity - Repeated Exposure

US. EPCRA (SARA Title III) Section 304 Extremely Hazardous Substances Reporting Quantities and the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) Hazardous Substances

US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 313 Toxic Chemicals (40 CFR 372.65) - Supplier Notification Required

Chemical Identity	<u>% by weight</u>
Ethanol, 2-(2-butoxyethoxy)-	1.0%



Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

#### **US State Regulations**

#### US. California Proposition 65 No ingredient requiring a warning under CA Prop 65.

US. New Jersey Worker and Community Right-to-Know Act <u>Chemical Identity</u> Ethanol Ethanol, 2-(2-butoxyethoxy)-Propane Butane

US. Massachusetts RTK - Substance List <u>Chemical Identity</u> Glycine, N,N-bis(carboxymethyl)-, sodium salt (1:3)

# US. Pennsylvania RTK - Hazardous Substances

<u>Chemical Identity</u> Ethanol Ethanol, 2-(2-butoxyethoxy)-Propane Butane

US. Rhode Island RTK No ingredient regulated by RI Right-to-Know Law present.

### International regulations

# Montreal protocol

Not applicable

# Stockholm convention

Not applicable

# Rotterdam convention

Not applicable

# Kyoto protocol

Not applicable



Inventory Status: Australia AICS	Not in compliance with the inventory.
Canada DSL Inventory List	Not in compliance with the inventory.
Canada NDSL Inventory	Not in compliance with the inventory.
Ontario Inventory	Not in compliance with the inventory.
China Inv. Existing Chemical Substances	On or in compliance with the inventory
Japan (ENCS) List	Not in compliance with the inventory.
Japan ISHL Listing	Not in compliance with the inventory.
Japan Pharmacopoeia Listing	Not in compliance with the inventory.
Korea Existing Chemicals Inv. (KECI)	Not in compliance with the inventory.
Mexico INSQ	Not in compliance with the inventory.
New Zealand Inventory of Chemicals	On or in compliance with the inventory
Philippines PICCS	Not in compliance with the inventory.
Taiwan Chemical Substance Inventory	On or in compliance with the inventory
US TSCA Inventory	On or in compliance with the inventory
EINECS, ELINCS or NLP	Not in compliance with the inventory.

# 16.Other information, including date of preparation or last revision

Issue Date:	09/15/2020
<b>Revision Information:</b>	No data available.
Version #:	1.1
Further Information:	FIFRA: This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The pesticide label also includes other important information, including directions for use.
Disclaimer:	This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.