



**SAFETY DATA SHEET**  
**BELZONA® 9111 (CLEANER/DEGREASER)**

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1. Product identifier**

**Product name** BELZONA® 9111 (CLEANER/DEGREASER)  
**Product number** SN2048

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

**Identified uses** General purpose cleaner/degreaser. Please refer to the relevant Belzona® Instructions For Use for further information. For industrial use only.  
**Uses advised against** The product should not be used for purposes other than those recommended in the appropriate Instructions For Use (IFU) leaflet.

**1.3. Details of the supplier of the safety data sheet**

**Supplier** Belzona Polymerics Limited  
 Claro Road, Harrogate  
 North Yorkshire  
 HG1 4DS, England  
 +44 1423 567641  
 sds@belzona.com

**Manufacturer** Belzona Polymerics Limited  
 Claro Road, Harrogate  
 North Yorkshire  
 HG1 4DS, England  
 +44 1423 567641  
 sds@belzona.com

**1.4. Emergency telephone number**

**Emergency telephone** +44 1423 567641 (office hours: 0845-1715 GMT)

**SECTION 2: Hazards identification**

**2.1. Classification of the substance or mixture**

**Classification**

**Physical hazards** Not Classified  
**Health hazards** Asp. Tox. 1 - H304  
**Environmental hazards** Not Classified

**Classification (67/548/EEC or 1999/45/EC)** Xn;R65. R66.

**Reference** The full text for all R-Phrases and Hazard Statements are displayed in Section 16.

**2.2. Label elements**

**BELZONA® 9111 (CLEANER/DEGREASER)****Pictogram**

<b>Signal word</b>	<b>Danger</b>
<b>Hazard statements</b>	<b>H304 May be fatal if swallowed and enters airways.</b>
<b>Precautionary statements</b>	<b>P261 Avoid breathing vapours. P280 Wear protective gloves, protective clothing and eye protection. P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P501 Dispose of contents/container in accordance with national regulations.</b>
<b>Supplemental label information</b>	<b>EUH066 Repeated exposure may cause skin dryness or cracking.</b>
<b>Contains</b>	<b>HYDROCARBONS, C11-C13, ISOALKANES, &lt;2% AROMATICS</b>

**2.3. Other hazards**

Vapours are heavier than air and may spread along floors. They may form explosive mixtures with air. Based on information received from our suppliers no PBT or vPvB substances are intentionally added to this product.

**SECTION 3: Composition/information on ingredients****3.2. Mixtures**

<b>HYDROCARBONS, C11-C13, ISOALKANES, &lt;2% AROMATICS</b>	<b>60-100%</b>
<b>CAS number: —</b>	<b>EC number: 920-901-0</b>
	<b>REACH registration number: 01-2119456810-40-xxxx</b>
<b>Classification</b>	<b>Classification (67/548/EEC or 1999/45/EC)</b>
<b>Asp. Tox. 1 - H304</b>	<b>Xn;R65. R66.</b>

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

<b>Composition comments</b>	<b>The benzene content of the hydrocarbon constituents contained within this product is significantly below the 0.1% w/w threshold and therefore, the product is not classified as a carcinogen.</b>
-----------------------------	--

**SECTION 4: First aid measures****4.1. Description of first aid measures**

<b>General information</b>	<b>In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.</b>
<b>Inhalation</b>	<b>Remove to fresh air. Keep the patient warm and at rest. If breathing has stopped, administer artificial respiration. Give nothing by mouth. If unconscious, place in the recovery position and seek medical advice.</b>
<b>Ingestion</b>	<b>If accidentally swallowed obtain immediate medical attention. Keep at rest. Rinse mouth with plenty of water. Do NOT induce vomiting.</b>
<b>Skin contact</b>	<b>Remove contaminated clothing. Wash skin thoroughly with soap and water or use a proprietary skin cleaner. Do NOT use solvents or thinners. If irritation or inflammation persists, seek medical attention.</b>

## BELZONA® 9111 (CLEANER/DEGREASER)

**Eye contact** Contact lenses should be removed. Irrigate copiously with clean, fresh water for at least 15 minutes, holding the eyelids apart, and seek medical advice.

### 4.2. Most important symptoms and effects, both acute and delayed

**General information** Exposure to organic solvent vapours may result in adverse health effects such as irritation of the mucous membrane and the respiratory system and adverse effects on the renal and central nervous systems.

**Inhalation** Exposure to vapours may result in irritation of the mucous membrane and the respiratory system.

**Ingestion** Ingestion is not normally an exposure risk arising from professional applications. Inadvertent ingestion may result in the following effects: sore throat, abdominal pain, drowsiness, nausea, vomiting and diarrhoea. Aspiration of solvent vapours into the lungs may cause severe pulmonary problems. Harmful: may cause lung damage if swallowed.

**Skin contact** Prolonged or repeated contact with the skin may lead to irritation, blistering, dermatitis or removal of natural fats from the skin resulting in absorption through the skin.

**Eye contact** Product splashes in the eye may cause slight irritation. Vapour may irritate eyes.

### 4.3. Indication of any immediate medical attention and special treatment needed

**Notes for the doctor** None.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

**Suitable extinguishing media** Use: sand, foam, carbon dioxide, chemical powder or water fog for larger fires. Do NOT use water jet.

### 5.2. Special hazards arising from the substance or mixture

**Hazardous combustion products** In a fire, hazardous decomposition products such as smoke, carbon monoxide, carbon dioxide may be produced.

### 5.3. Advice for firefighters

**Protective actions during firefighting** Fire will produce dense black smoke containing hazardous products of combustion (see Section 10). Exposure to decomposition products may be a hazard to health. Appropriate self-contained breathing apparatus may be required. Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or watercourses.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions** Exclude sources of ignition and ventilate the area. Exclude non-essential personnel. Keep up-wind of spill to avoid breathing vapours. Avoid contact with skin and eyes.

### 6.2. Environmental precautions

**Environmental precautions** Prevent spills from entering drains or sewers. If the product enters drains or sewers in large quantities, the local Water Company should be contacted immediately; in the case of contamination of streams, rivers or lakes, the appropriate National regulating agency.

### 6.3. Methods and material for containment and cleaning up

**Methods for cleaning up** Contain and collect spillages with non-combustible absorbent materials e.g. sand, earth, vermiculite, diatomaceous earth and place into a suitable labelled container. Clean surfaces down with a water and detergent mixture. Do not allow spilled product or the associated washings to enter surface water drains or watercourses.

### 6.4. Reference to other sections

## BELZONA® 9111 (CLEANER/DEGREASER)

Reference to other sections For personal protection, see Section 8. For waste disposal, see section 13. For information on National regulating agencies refer to Section 16.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

**Usage precautions** GENERAL Avoid inhalation of vapour. Keep the container tightly closed until ready for use. Prevent air-borne concentrations higher than the occupational exposure limits (see Section 8). Exclude non-essential personnel. Minimise the number of employees exposed and the duration of their exposure. Avoid skin and eye contact. Smoking, eating and drinking should be prohibited in areas of storage and use. For personal protection see Section 8. Always keep in containers made of the same material as the supply container. The Manual Handling Operations Regulations may apply to the handling of containers/packages of this product. Refer to the guide weight on the container/package when carrying out assessments. FIRE/EXPLOSION This product is combustible. Exclude sources of heat, sparks and open flame. Vapours are heavier than air and may spread along floors. They may form explosive mixtures with air. Prevent the creation of flammable or explosive concentrations of vapour with air. The product should only be used in areas from which all naked lights and other sources of ignition have been excluded. Electrical equipment should be protected to the appropriate standard. Good housekeeping standards and regular safe removal of waste materials will minimise the risks of spontaneous combustion and other fire hazards. Ensure emergency equipment (for fires, spills, leaks, etc.) is readily available.

#### 7.2. Conditions for safe storage, including any incompatibilities

**Storage precautions** Observe the label precautions. Store between 5 °C and 30 °C unless otherwise stated in a dry, well ventilated place away from sources of heat, ignition and direct sunlight. No smoking. Prevent unauthorised access. Have appropriate fire extinguishers available in and near the storage area. Store separately from oxidising agents and strongly alkaline and strongly acidic materials. ENVIRONMENTAL STORAGE PRECAUTIONS Spillage, incorrect storage of chemicals or waste materials or unsuitable disposal activities can result in pollutants seeping through the soil, causing serious harm to groundwater- which is a vital source of drinking water. All wastes especially liquid wastes, must be securely stored on site in designated areas that are isolated from surface drains and bunded to contain any spillages.

#### 7.3. Specific end use(s)

**Specific end use(s)** Application by brush or swabbing. Single component material. This product does not require mixing with another component before use. Please refer to the relevant Belzona® Instructions For Use for further information.

### SECTION 8: Exposure Controls/personal protection

#### 8.1. Control parameters

##### Occupational exposure limits

HYDROCARBONS, C11-C13, ISOALKANES, <2% AROMATICS

Long-term exposure limit (8-hour TWA): SUP 300 ppm

**Ingredient comments** Exposure to chemicals assigned occupational exposure limits (OELs) should be controlled using the most effective and reliable measures, proportional to the health risk, which minimise their escape and spread. All relevant exposure routes should be taken into account. When personal protective equipment, including respiratory protective equipment, is used to control exposure to hazardous substances it must be selected to meet the requirements of the COSHH Regulations.

#### 8.2. Exposure controls

## BELZONA® 9111 (CLEANER/DEGREASER)

Appropriate engineering controls	Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. Where these controls are not sufficient to maintain concentrations of particulates and/or vapours to an acceptable level, suitable respiratory protective equipment should be worn (see 'Respirators' below).
Eye/face protection	It is recommended that eye protection, for example safety spectacles or goggles are worn at all times during the handling and use of this material. Eye protection should be selected in accordance with EN 166 Personal eye protection.
Hand protection	Hand protection should be selected in accordance with EN 374 Protective gloves against chemicals. The breakthrough time of the gloves selected should exceed the expected use period. Where this is not possible gloves should be changed in good time, and in any case before the breakthrough time is exceeded. If any doubt exists, advice should be sought from glove suppliers on appropriate types. Barrier creams may help to protect exposed areas of skin but are not substitutes for full physical protection. They should not be applied once exposure has occurred. <b>SPECIFIC RECOMMENDATIONS</b> Wear protective gloves made of the following material: Neoprene. Nitrile rubber. <b>STANDARD APPLICATIONS</b> Medium-heavy weight gauntlet type gloves that provide wrist protection are suitable. <b>APPLICATION OF SMALL QUANTITIES</b> Light weight disposable gloves are normally suitable.
Other skin and body protection	<b>STANDARD APPLICATIONS</b> Synthetic polyethylene coveralls such as the Tyvek PRO-TECH® or equivalent coveralls manufactured to EN 13034 Type 6, Protective clothing against liquid chemicals. Grossly contaminated clothing should be removed and the skin washed with soap and water or a proprietary skin cleaner. <b>APPLICATION OF SMALL QUANTITIES</b> Cotton overalls are normally suitable.
Hygiene measures	Wash hands at the end of each work shift and before eating, smoking and using the toilet. Ensure eye wash facilities (fountain, bottle, vials, etc.) are readily available. Do not put contaminated articles or equipment e.g. spatulas, applicators, brushes, cloths etc., into pockets. Where necessary, contaminated work clothing and shoes should be removed to prevent cross contamination of surfaces and the risk of inadvertent skin contact and ingestion.
Respiratory protection	It is essential that the concentration of the contaminant(s) in the application environment does not exceed the applicable Occupational Exposure Limit(s) (OELs) multiplied by the Assigned Protection Factor (APF) quoted for the respiratory protective equipment selected. <b>STANDARD APPLICATIONS</b> Where necessary, it is recommended that respiratory protective equipment that complies with EN 136 (full face mask) or EN 140 (half face mask) should be worn in combination with an organic vapours cartridge (A1). Where the application environment is likely to be contaminated by significant concentrations of dust then the appropriate particulate prefilter (N-, R- or, P-series) should be worn in combination with the above. It is essential that the facepiece is correctly fitted and the filter is changed in accordance with the manufacturer's instructions. <b>APPLICATION OF SMALL QUANTITIES</b> Not normally required when this product is handled and applied in well ventilated areas.

### SECTION 9: Physical and Chemical Properties

#### 9.1. Information on basic physical and chemical properties

Appearance	Liquid.
Colour	Water-white.
Odour	Odourless or no characteristic odour.
Odour threshold	Not applicable.
pH	Not available.
Melting point	Not available.
Initial boiling point and range	183 - 210°C @ 760 mm Hg

**BELZONA® 9111 (CLEANER/DEGREASER)**

Flash point	63°C CC (Closed cup).
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	Lower flammable/explosive limit: 0.6% Upper flammable/explosive limit: 7.0%
Vapour pressure	0.03 kPa @ 20°C
Vapour density	> 1
Relative density	0.72 - 0.82 @ 20°C
Solubility(ies)	0.1 g/100 g water @ 20°C
Partition coefficient	Not available.
Auto-ignition temperature	Not applicable.
Decomposition Temperature	Not available.
Viscosity	Not available.
Explosive properties	Not applicable.
Oxidising properties	Not applicable.

**9.2. Other information**

Other information This section contains typical values for Health, Safety and Environmental guidance only and is not intended to represent a technical specification for the product.

**SECTION 10: Stability and reactivity****10.1. Reactivity**

Reactivity There are no known reactivity hazards associated with this product.

**10.2. Chemical stability**

Stability Stable under recommended storage and handling conditions (see Section 7).

**10.3. Possibility of hazardous reactions**

Possibility of hazardous reactions No hazardous reactions expected when stored and handled as recommended.

**10.4. Conditions to avoid**

Conditions to avoid There are no known conditions that are likely to result in a hazardous situation.

**10.5. Incompatible materials**

Materials to avoid Keep away from oxidising agents and strongly alkaline and strongly acidic materials to prevent the possibility of exothermic reaction.

**10.6. Hazardous decomposition products**

Hazardous decomposition products Does not decompose when used and stored as recommended.

**SECTION 11: Toxicological information****11.1. Information on toxicological effects****Acute toxicity - oral**

Notes (oral LD<sub>50</sub>) Based on available data the classification criteria are not met.

**BELZONA® 9111 (CLEANER/DEGREASER)****Acute toxicity - dermal**Notes (dermal LD<sub>50</sub>) Based on available data the classification criteria are not met.**Acute toxicity - inhalation**Notes (inhalation LC<sub>50</sub>) Based on available data the classification criteria are not met.**Skin corrosion/irritation**

Animal data Based on available data the classification criteria are not met.

**Serious eye damage/irritation**

Serious eye damage/irritation Based on available data the classification criteria are not met.

**Respiratory sensitisation**

Respiratory sensitisation Based on available data the classification criteria are not met.

**Skin sensitisation**

Skin sensitisation Based on available data the classification criteria are not met.

**Germ cell mutagenicity**

Genotoxicity - in vitro Based on available data the classification criteria are not met.

Genotoxicity - in vivo Based on available data the classification criteria are not met.

**Carcinogenicity**

Carcinogenicity Based on available data the classification criteria are not met.

IARC carcinogenicity Not listed

NTP carcinogenicity Not listed

**Reproductive toxicity**

Reproductive toxicity - fertility Based on available data the classification criteria are not met.

Reproductive toxicity - development Based on available data the classification criteria are not met.

**Specific target organ toxicity - single exposure**

STOT - single exposure Based on available data the classification criteria are not met.

**Specific target organ toxicity - repeated exposure**

STOT - repeated exposure Based on available data the classification criteria are not met.

**Aspiration hazard**Aspiration hazard May be fatal if swallowed and enters airways. Kinematic viscosity ≤ 20.5 mm<sup>2</sup>/s.

Route of entry Ingestion

**SECTION 12: Ecological Information**

Ecotoxicity The following information is provided on the basis of the individual component data available.

**12.1. Toxicity**

Toxicity The product is considered unlikely to have an ecotoxic effect.

**12.2. Persistence and degradability**

Persistence and degradability The product is expected to be biodegradable.

**12.3. Bioaccumulative potential**

**BELZONA® 9111 (CLEANER/DEGREASER)**

**Bioaccumulative potential** The product is not expected to bioaccumulate.

**Partition coefficient** Not available.

**12.4. Mobility in soil**

**Mobility** There is no data available on the product itself.

**12.5. Results of PBT and vPvB assessment**

**Results of PBT and vPvB assessment** Based on information received from our suppliers no PBT or vPvB substances are intentionally added to this product.

**12.6. Other adverse effects**

**Other adverse effects** None known.

**SECTION 13: Disposal considerations****13.1. Waste treatment methods**

**General information** All cleaning/degreasing operations should be carried out in areas away from surface and foul water systems. Where this is not possible the surface and foul water systems should be isolated by suitable damming techniques.

**Disposal methods** GENERAL Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Controlled wastes include non-hazardous industrial and hazardous chemical wastes. All controlled wastes should be disposed of in accordance with regulations made under the Control of Pollution Act and the Environmental Protection Act. In addition, hazardous chemical wastes should be disposed of in accordance with the Hazardous Waste Regulations. When in doubt, using information provided in this safety data sheet, advice should be obtained from the National regulating agency whether the Hazardous Waste Regulations apply. Refer to information sources listed in Section 16. COMPONENT DISPOSAL TRANSIT PACKAGING: shrink or stretch wrap, boxes and fittings that have not been contaminated with product should be re-used or recycled. UNUSED PRODUCT: spilled product that has been decontaminated in accordance with the procedure described in Section 6, and empty uncleaned containers should be disposed of as controlled wastes.

**Waste class** List of Waste (LoW) code 14 06 03\* \*Hazardous waste pursuant to Directive 91/689/EEC. The LoW code quoted in this section is a general entry. LoW codes should be assigned based on the end use of the product. Where a more specific code is available it should be used in preference to the code given above. Where in doubt refer to the List of Wastes (2000/532/EC Commission Decision), your local licensed waste contractor or the National regulating agency. Refer to information sources listed in Section 16.

**SECTION 14: Transport information**

**General** Not classified for transport under current National and International Regulations. Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of accident or spillage.

**14.1. UN number**

Not applicable.

**14.2. UN proper shipping name**

Not applicable.

**14.3. Transport hazard class(es)**

Not applicable.



**BELZONA® 9111 (CLEANER/DEGREASER)****14.4. Packing group**

Not applicable.

**14.5. Environmental hazards**

Environmentally hazardous substance/marine pollutant

No.

**14.6. Special precautions for user**

Not applicable.

**14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not carried in bulk.

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**National regulations** The provisions of the Health and Safety at Work Act and the Control of Substances Hazardous to Health Regulations with amendments apply to the use of this product at work.

**EU legislation** Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).  
Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments. In accordance with Regulation (EC) No 453/2010.

**15.2. Chemical safety assessment**

No chemical safety assessment has been carried out.

**SECTION 16: Other information**

**General information** The information contained within this safety data sheet does not constitute the users own assessment of workplace risks as required by other health and safety legislation. As the specific conditions of use of the product are outside the supplier's control, the user is responsible for ensuring that the requirements of relevant National legislation are complied with. The information contained within this safety data sheet is based on the present state of knowledge and current national legislation. It provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications.

**Key literature references and sources for data** PPG18: Control of Spillages and fire fighting run-off. HSG53 The selection, use and maintenance of respiratory protective equipment, as amended. HSG97 A step by step guide to COSHH assessment. HSG140 Safe use and handling of flammable liquids. UK ENVIRONMENTAL REGULATING AGENCIES: England and Wales- Environment Agency; Scotland- Scottish Environment Protection Agency (SEPA); Northern Ireland- Environment and Heritage Service.

**Classification procedures according to Regulation (EC) 1272/2008** Where there is no test data available for the mixture, the classification has been determined based on the individual component hazard data in accordance with EC 1272/2008.

**BELZONA® 9111 (CLEANER/DEGREASER)**

<b>Training advice</b>	For further information please contact your supplier, Belzona consultant or Belzona direct.
<b>Revision comments</b>	<b>REVISION.</b> This safety data sheet has been revised in the following Section(s): All Sections. Please observe the REVISION DATE. Should you be reading a safety data sheet that is more than 24 months old or have concerns over its validity, please contact your local Belzona consultant or Belzona direct (sds@belzona.com) and the most current information will be sent to you.
<b>Revision date</b>	29/05/2015
<b>Revision</b>	7.0
<b>SDS number</b>	10417
<b>SDS status</b>	English. Approved.
<b>Risk phrases in full</b>	R65 Harmful: may cause lung damage if swallowed. R66 Repeated exposure may cause skin dryness or cracking.
<b>Hazard statements in full</b>	H304 May be fatal if swallowed and enters airways.