SAFETY DATA SHEET

1. Identification

Product identifier APPLE SCENT CLEAN CHOICE AIR FRESHENER

Other means of identification

Product code 0617418

Recommended use AIR FRESHENER
Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name FASTENAL

Address 2001 THEURER BLVD

WINONA, MN 55987

United States

Telephone Not available.

E-mail info@fastenal.com

Emergency phone number Emergency - US 1-866-836-8855

Emergency - Outside US 1-952-852-4646

Supplier Not available.

2. Hazard(s) identification

Physical hazardsFlammable aerosolsCategory 1Health hazardsSerious eye damage/eye irritationCategory 2A

Specific target organ toxicity, single exposure Category 3 narcotic effects

Label elements



Signal word Danger

Hazard statement Extremely flammable aerosol. Causes serious eye irritation. May cause drowsiness or dizziness.

Precautionary statement

Prevention Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Avoid breathing gas. Wash thoroughly after handling. Use only outdoors or in a well-ventilated

area. Wear eye protection/face protection.

Response IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse

cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a POISON CENTER/doctor if you feel unwell. If eye irritation persists: Get

medical advice/attention.

Storage Store in a well-ventilated place. Keep container tightly closed. Store locked up. Protect from

sunlight. Do not expose to temperatures exceeding 50°C/122°F.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards None known.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Acetone		67-64-1	68
Propane		74-98-6	15.18

Product name: APPLE SCENT CLEAN CHOICE AIR FRESHENER

SDS CANADA

Chemical name	Common name and synonyms	CAS number	%
Butane		106-97-8	14.82
Other components below	reportable levels		2

Other components below reportable levels

4. First-aid measures

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON

CENTER or doctor/physician if you feel unwell.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if Eye contact

present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

In the unlikely event of swallowing contact a physician or poison control center. Rinse mouth. Ingestion

May cause drowsiness and dizziness. Headache. Nausea, vomiting. Severe eye irritation. **Most important** symptoms/effects, acute and

Symptoms may include stinging, tearing, redness, swelling, and blurred vision. delayed

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media Alcohol resistant foam. Powder. Carbon dioxide (CO2).

Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

Contents under pressure. Pressurized container may explode when exposed to heat or flame. During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

Fire fighting equipment/instructions Move containers from fire area if you can do so without risk. Containers should be cooled with water to prevent vapor pressure build up. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk. Use water spray to cool unopened containers. In the event of fire and/or explosion do not breathe fumes.

General fire hazards Extremely flammable aerosol.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid breathing gas. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Refer to attached safety data sheets and/or instructions for use. Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Isolate area until gas has dispersed. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

^{*}Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret. All concentrations are in percent by weight (kg) unless ingredient is a gas. Gas concentrations are in percent by volume (I).

7. Handling and storage

Precautions for safe handling

Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. All equipment used when handling the product must be grounded. Do not re-use empty containers. Avoid breathing gas. Avoid contact with eyes. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Level 3 Aerosol.

Type

Store locked up. Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50°C/122 °F. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. This material can accumulate static charge which may cause spark and become an ignition source. Store away from incompatible materials (see Section 10 of the SDS). Level 3 Aerosol.

Value

8. Exposure controls/personal protection

Occupational exposure limits

US. ACGIH Threshold Limit Values	
Components	

Acetone (CAS 67-64-1)	STEL	500 ppm
	TWA	250 ppm
Butane (CAS 106-97-8)	STEL	1000 ppm
Canada. Alberta OELs (Occupat	ional Health & Safety Code, Scl	nedule 1, Table 2)
Components	Туре	Value
Acetone (CAS 67-64-1)	STEL	1800 mg/m3
,		750 ppm
	TWA	1200 mg/m3
		500 ppm
Butane (CAS 106-97-8)	TWA	1000 ppm
Propane (CAS 74-98-6)	TWA	1000 ppm
		s for Chemical Substances, Occupational Health and
Safety Regulation 296/97, as am		Value
Components	Туре	Value
Acetone (CAS 67-64-1)	STEL	500 ppm
	TWA	250 ppm
Butane (CAS 106-97-8)	STEL	750 ppm
	TWA	600 ppm
Canada Manitaha OELa (Pag. 2	17/2006, The Workplace Safety	And Hoalth Act)
Canada, Mannoba OELS (Reg. 2	17/2000, The Workplace Salety	Allu Health Act)
•	Type	Value
Components		•
Components	Туре	Value
Components Acetone (CAS 67-64-1)	Type STEL	Value 500 ppm
Components Acetone (CAS 67-64-1) Butane (CAS 106-97-8)	Type STEL TWA STEL	Value 500 ppm 250 ppm 1000 ppm
Components Acetone (CAS 67-64-1) Butane (CAS 106-97-8) Canada. Ontario OELs. (Control	Type STEL TWA STEL	Value 500 ppm 250 ppm 1000 ppm
Components Acetone (CAS 67-64-1) Butane (CAS 106-97-8) Canada. Ontario OELs. (Control Components	Type STEL TWA STEL of Exposure to Biological or Cl	Value 500 ppm 250 ppm 1000 ppm
Components Acetone (CAS 67-64-1) Butane (CAS 106-97-8) Canada. Ontario OELs. (Control Components	Type STEL TWA STEL of Exposure to Biological or Cl Type	Value 500 ppm 250 ppm 1000 ppm nemical Agents) Value 750 ppm
Components Acetone (CAS 67-64-1) Butane (CAS 106-97-8) Canada. Ontario OELs. (Control Components Acetone (CAS 67-64-1)	Type STEL TWA STEL of Exposure to Biological or Cl Type STEL	Value 500 ppm 250 ppm 1000 ppm nemical Agents) Value
Components Acetone (CAS 67-64-1) Butane (CAS 106-97-8) Canada. Ontario OELs. (Control Components Acetone (CAS 67-64-1) Butane (CAS 106-97-8)	Type STEL TWA STEL of Exposure to Biological or Cl Type STEL TWA TWA	Value 500 ppm 250 ppm 1000 ppm nemical Agents) Value 750 ppm 500 ppm
Components Acetone (CAS 67-64-1) Butane (CAS 106-97-8) Canada. Ontario OELs. (Control Components Acetone (CAS 67-64-1) Butane (CAS 106-97-8) Canada. Quebec OELs. (Ministry	Type STEL TWA STEL of Exposure to Biological or Cl Type STEL TWA TWA	Value 500 ppm 250 ppm 1000 ppm nemical Agents) Value 750 ppm 500 ppm 800 ppm
Components Acetone (CAS 67-64-1) Butane (CAS 106-97-8) Canada. Ontario OELs. (Control Components Acetone (CAS 67-64-1) Butane (CAS 106-97-8) Canada. Quebec OELs. (Ministry Components	Type STEL TWA STEL of Exposure to Biological or Cl Type STEL TWA TWA TWA y of Labor - Regulation Respect	Value 500 ppm 250 ppm 1000 ppm nemical Agents) Value 750 ppm 500 ppm 800 ppm
Components Acetone (CAS 67-64-1) Butane (CAS 106-97-8) Canada. Ontario OELs. (Control Components Acetone (CAS 67-64-1) Butane (CAS 106-97-8) Canada. Quebec OELs. (Ministry Components	Type STEL TWA STEL of Exposure to Biological or Cl Type STEL TWA TWA TWA y of Labor - Regulation Respect	Value 500 ppm 250 ppm 1000 ppm nemical Agents) Value 750 ppm 500 ppm 800 ppm sing the Quality of the Work Environment) Value
Components Acetone (CAS 67-64-1) Butane (CAS 106-97-8) Canada. Ontario OELs. (Control Components Acetone (CAS 67-64-1) Butane (CAS 106-97-8) Canada. Quebec OELs. (Ministry Components	Type STEL TWA STEL of Exposure to Biological or Cl Type STEL TWA TWA TWA y of Labor - Regulation Respect	Value 500 ppm 250 ppm 1000 ppm nemical Agents) Value 750 ppm 500 ppm 800 ppm sing the Quality of the Work Environment) Value 2380 mg/m3
Components Acetone (CAS 67-64-1) Butane (CAS 106-97-8) Canada. Ontario OELs. (Control Components Acetone (CAS 67-64-1) Butane (CAS 106-97-8)	STEL TWA STEL of Exposure to Biological or Cl Type STEL TWA TWA TWA TWA y of Labor - Regulation Respect Type STEL	Value 500 ppm 250 ppm 1000 ppm nemical Agents) Value 750 ppm 500 ppm 800 ppm 800 ppm ving the Quality of the Work Environment) Value 2380 mg/m3 1000 ppm
Components Acetone (CAS 67-64-1) Butane (CAS 106-97-8) Canada. Ontario OELs. (Control Components Acetone (CAS 67-64-1) Butane (CAS 106-97-8) Canada. Quebec OELs. (Ministry Components	STEL TWA STEL of Exposure to Biological or Cl Type STEL TWA TWA TWA TWA y of Labor - Regulation Respect Type STEL	Value 500 ppm 250 ppm 1000 ppm nemical Agents) Value 750 ppm 500 ppm 800 ppm 800 ppm sing the Quality of the Work Environment) Value 2380 mg/m3 1000 ppm 1190 mg/m3

Product name: APPLE SCENT CLEAN CHOICE AIR FRESHENER

Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment)

Components Type Value

Propane (CAS 74-98-6) TWA 1800 mg/m3 1000 ppm

Biological limit values

ACGIH Biological Exposure Indices

Components	Value	Determinant	Specimen	Sampling Time
Acetone (CAS 67-64-1)	25 mg/l	Acetone	Urine	*

^{* -} For sampling details, please see the source document.

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove

supplier.

Other Wear suitable protective clothing.

Respiratory protection If permissible levels are exceeded use NIOSH mechanical filter / organic vapor cartridge or an

air-supplied respirator.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state Gas.
Form Aerosol.
Color Not available.
Odor Not available.
Odor threshold Not available.
PH Not available.
Melting point/freezing point Not available.

Initial boiling point and boiling

range

132.89 °F (56.05 °C) estimated

Flash point -156.0 °F (-104.4 °C) PROPELLANT estimated

Evaporation rate Not available.

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

2.4 % estimated

Flammability limit - upper

11.8 % estimated

Explosive limit - lower (%)

Not available.

Not available.

Explosive limit - upper (%)

60 - 70 psig @70F estimated

Vapor densityNot available.Relative densityNot available.

Solubility(ies)

Vapor pressure

Solubility (water) Not available.

Partition coefficient (n-octanol/water)

Not available.

Not available. **Auto-ignition temperature Decomposition temperature Viscosity** Not available.

Not available.

Other information

Not explosive. **Explosive properties** Oxidizing properties Not oxidizing. Specific gravity 0.784 estimated

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Material is stable under normal conditions. **Chemical stability** Possibility of hazardous Hazardous polymerization does not occur.

reactions

Avoid temperatures exceeding the flash point. Contact with incompatible materials. Conditions to avoid

Incompatible materials Acids. Strong oxidizing agents. Nitrates. Fluorine. Chlorine.

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation May cause drowsiness and dizziness. Headache. Nausea, vomiting.

Skin contact No adverse effects due to skin contact are expected.

Eye contact Causes serious eye irritation.

Expected to be a low ingestion hazard. Ingestion

Symptoms related to the physical, chemical and toxicological characteristics May cause drowsiness and dizziness. Headache. Nausea, vomiting. Severe eye irritation.

Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

Information on toxicological effects

Narcotic effects. Acute toxicity

Harootto chooto.		
Species	Test Results	
Guinea pig	> 7426 mg/kg, 24 Hours	
	> 9.4 ml/kg, 24 Hours	
Rabbit	> 7426 mg/kg, 24 Hours	
	> 9.4 ml/kg, 24 Hours	
Rat	55700 ppm, 3 Hours	
	132 mg/l, 3 Hours	
	50.1 mg/l	
Rat	5800 mg/kg	
	2.2 ml/kg	
Mouse	1237 mg/l, 120 Minutes	
	52 %, 120 Minutes	
	Guinea pig Rabbit Rat	

Components	Species	Test Results
	Rat	1355 mg/l
Propane (CAS 74-98-6)		
<u>Acute</u>		
Inhalation		
LC50	Mouse	1237 mg/l, 120 Minutes
		52 %, 120 Minutes
	Rat	1355 mg/l
		658 mg/l/4h

^{*} Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye

irritation

Causes serious eye irritation.

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicityNo data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity

ACGIH Carcinogens

Acetone (CAS 67-64-1)

A4 Not classifiable as a human carcinogen.

Canada - Manitoba OELs: carcinogenicity

ACETONE (CAS 67-64-1) Not classifiable as a human carcinogen.

Reproductive toxicityThis product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

May cause drowsiness and dizziness.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not likely, due to the form of the product.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components		Species	lest Results	
Acetone (CAS 67-64-1)				
Aquatic				
Crustacea	EC50	Water flea (Daphnia magna)	21.6 - 23.9 mg/l, 48 hours	
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	4740 - 6330 mg/l, 96 hours	

^{*} Estimates for product may be based on additional component data not shown.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

 Acetone
 -0.24

 Butane
 2.89

 Propane
 2.36

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

Product name: APPLE SCENT CLEAN CHOICE AIR FRESHENER

6/9

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Contents

under pressure. Do not puncture, incinerate or crush. Dispose of contents/container in accordance

with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

The waste code should be assigned in discussion between the user, the producer and the waste Hazardous waste code

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal. Do not re-use empty containers.

14. Transport information

TDG

UN1950 **UN** number

UN proper shipping name

AEROSOLS, flammable

Transport hazard class(es)

Class 2.1 Subsidiary risk

Not applicable. Packing group

Environmental hazards

Special precautions for user Not available.

IATA

UN number UN1950

UN proper shipping name

Aerosols, flammable

Transport hazard class(es)

Class 2.1 Subsidiary risk Label(s) 2.1

Packing group Not applicable.

Environmental hazards No. **ERG Code** 10L

Other information

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Passenger and cargo

aircraft

Allowed with restrictions.

Cargo aircraft only

Allowed with restrictions.

IMDG

UN number UN1950 **AEROSOLS UN** proper shipping name

Transport hazard class(es)

Class 2.1 Subsidiary risk Label(s) 2.1

Packing group Not applicable.

Environmental hazards

Marine pollutant No. **EmS** F-D. S-U

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to Annex II of MARPOL 73/78 and

Not applicable.

Product #: 0617418 Version #: 02 Revision date: 03-31-2016 Issue date: 01-05-2016

the IBC Code

Product name: APPLE SCENT CLEAN CHOICE AIR FRESHENER

IATA; IMDG; TDG



15. Regulatory information

Canadian regulations

Controlled Drugs and Substances Act

Not regulated.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

Greenhouse Gases

Not listed.

Precursor Control Regulations

Acetone (CAS 67-64-1) Class B

International regulations

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Kyoto protocol

Not applicable.

Montreal Protocol

Not applicable.

Basel Convention

Not applicable.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other Information

 Issue date
 01-05-2016

 Revision date
 03-31-2016

Version # 02

Product name: APPLE SCENT CLEAN CHOICE AIR FRESHENER

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge,

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text.

Revision information Product and Company Identification: Alternate Trade Names

Product name: APPLE SCENT CLEAN CHOICE AIR FRESHENER

Product #: 0617418 Version #: 02 Revision date: 03-31-2016 Issue date: 01-05-2016