

**Common Name:** TAP LUBE  
**Manufacturer:** BLUE STAR LUBRICATION TECHNOLOGY  
**SDS Revision Date:** 5/23/2008  
**SDS Format:** No Format Specified

**Grainger Item** 4KYP6, 4KYP7  
**Number(s):**  
**Manufacturer Model**  
**Number(s):**

BLUE STAR LUBRICATION TECHNOLOGY

JANCY CUTTING PASTE

MATERIAL SAFETY DATA SHEET

## **SECTION 1 PRODUCT AND COMPANY IDENTIFICATION**

MANUFACTURER:  
BLUE STAR LUBRICATION TECHNOLOGY, LLC  
ONE PIERCE PLACE  
SUITE 400E  
ITASCA, IL 60143  
UNITED STATES OF AMERICA

PHONE: 630-250-1080

FAX: 630-250-1087

EMERGENCY PHONE NUMBERS: 630-250-1080 NORMAL BUSINESS HRS.

CHEMTREC: 800-424-9300 24 HOURS

INTERNATIONAL CHEMTREC: 703-527-3887

PRODUCT NAME: BLUE STAR TAP LUBE

CHEMICAL FAMILY: FATTY ALCOHOLS

## **SECTION 2 COMPOSITION / HAZARDOUS INGREDIENTS INFORMATION**

INGREDIENT	WT %	TLV / PEL*	CAS #
9-OCTADECEN-1			143-28-2

\* THIS VALUE APPLIES TO ANY OIL WHICH IS MISTED INTO THE AIR.

### **SECTION 3 PHYSICAL AND CHEMICAL PROPERTIES**

COLOR: WHITE

VAPOR PRESSURE: N/A DEG. F

SOLUBILITY IN WATER: MISCIBLE

APPEARANCE: OPAQUE LIQUID

% VOLATILE BY VOLUME: N/A

EVAPORATION RATE (WATER = 1): N/A

ODOR: CHARACTERISTIC

VAPOR DENSITY (AIR = 1): N/A

BOILING POINT: N/E

REACTIVITY IN WATER: NON-REACTIVE

SPECIFIC GRAVITY: 0.9928

### **SECTION 4 FIRE FIGHTING MEASURES**

FLAMMABLE PROPERTIES:

FLASH POINT: 350 DEG. F (ASTM D-56)

FLAMMABLE LIMITS IN AIR: N/A

AUTO IGNITION TEMPERATURE: N/A

EXTINGUISHING MEDIA: CO<sub>2</sub>, DRY CHEMICAL, FOAM

SPECIAL FIRE FIGHTING MEASURE:

PROCEDURES FOR AN OIL FIRE SHOULD BE FOLLOWED. USE SELF CONTAINED BREATHING APPARATUS. USE FOAM OR DRY CHEMICAL TO EXTINGUISH FIRE. WATER MAY BE USED ONLY TO KEEP SURROUNDING CONTAINERS COOL.

### **SECTION 5 HAZARDS IDENTIFICATION**

PRIMARY ROUTES OF ENTRY:

SKIN:

TESTS ON SIMILAR MATERIALS INDICATE THAT NO SIGNIFICANT ADVERSE HEALTH EFFECTS ARE EXPECTED TO OCCUR WITH SHORT TERM EXPOSURE.

EYES:

TESTS ON SIMILAR MATERIALS SUGGESTS THAT MINIMAL IRRITATION MAY OCCUR ON CONTACT.

INGESTION:

TESTS ON SIMILAR MATERIALS INDICATE NO SIGNIFICANT ADVERSE EFFECTS EXPECTED. PRACTICALLY NON-TOXIC.

INHALATION:

TESTS ON SIMILAR MATERIALS INDICATE NO ACUTE EFFECTS ARE EXPECTED.

## **SECTION 6 FIRST AID MEASURES**



### **EYES:**

FLUSH EYES IMMEDIATELY WITH WATER FOR AT LEAST 15 MINUTES OR UNTIL IRRITATION SUBSIDES. IF IRRITATION PERSISTS, CONSULT A PHYSICIAN.

### **SKIN:**

IMMEDIATELY REMOVE SOAKED OR CONTAMINATED CLOTHING. WASH SKIN THOROUGHLY WITH SOAP AND WATER. LAUNDRER ALL CONTAMINATED CLOTHING BEFORE REUSE. IF SKIN IRRITATION OR RASH DEVELOPS OBTAIN MEDICAL ASSISTANCE.

### **INGESTION:**

PRODUCT IS PRACTICALLY NON-TOXIC. DO NOT INDUCE VOMITING. OBTAIN EMERGENCY MEDICAL ATTENTION.

### **INHALATION:**

NOT LIKELY TO OCCUR EXCEPT AS A MIST. MOVE TO FRESH AIR AND PROVIDE OXYGEN IF NECESSARY. OBTAIN EMERGENCY MEDICAL ATTENTION.

## **SECTION 7 PERSONAL PROTECTION / EXPOSURE CONTROLS**



### **ENGINEERING CONTROLS:**

USE ADEQUATE VENTILATION TO KEEP OIL MISTS OF THIS MATERIAL BELOW APPLICABLE STANDARDS.

### **RESPIRATORY PROTECTION:**

NOT REQUIRED IF ADEQUATE VENTILATION. IF OCCUPATIONAL EXPOSURE LIMITS ARE EXCEEDED WEAR NIOSH APPROVED APPARATUS.

### **SKIN PROTECTION:**

AVOID PROLONGED AND/OR REPEATED SKIN CONTACT. IF PROLONGED CONTACT CANNOT BE AVOIDED, WEAR PROTECTIVE IMPERVIOUS GLOVES AND CLOTHING. ACCEPTABLE MATERIALS FOR GLOVES ARE POLYVINYL CHLORIDE; NEOPRENE; POLYVINYL ALCOHOL; NITRILE; VITRON.

EYE PROTECTION: GLASSES OR GOGGLES. HAVE SUITABLE EYE WASH WATER AVAILABLE.

### **OTHER/GENERAL PROTECTION:**

IF THERE IS A LIKELIHOOD OF SPLASHING, AN OIL RESISTANT CLOTHING SHOULD BE WORN. NEVER WEAR OIL SOAKED CLOTHING. LAUNDRER OR DRY CLEAN BEFORE WEARING. DISCARD OIL SOAKED SHOES.

## **SECTION 8 HANDLING AND STORAGE**



### **HANDLING AND STORAGE PRECAUTIONS:**

KEEP AWAY FROM FLAMES, SPARKS OR HOT SURFACES. NEVER USE A TORCH TO CUT OR WELD ON OR NEAR CONTAINER. EMPTY CONTAINERS CAN CONTAIN EXPLOSIVE VAPORS. NFPA CLASS IIIIB STORAGE.

DO NOT ALLOW PRODUCT TO FREEZE. IF PRODUCT FREEZES ALLOW PRODUCT TO THAW COMPLETELY PRIOR TO USE.

### **WORK/HYGIENIC PRACTICES:**

WASH THOROUGHLY AFTER HANDLING. DO NOT USE GASOLINE, SOLVENTS, KEROSENE, OR HARSH ABRASIVE SKIN CLEANERS FOR WASHING EXPOSED SKIN AREAS. TAKE A SHOWER AFTER WORK IF GENERAL CONTACT OCCURS. REMOVE OIL-SOAKED CLOTHING AND LAUNDRER BEFORE REUSE. LAUNDRER OR DISCARD CONTAMINATED SHOES AND LEATHER GLOVES.

## **SECTION 9 ACCIDENTAL RELEASE MEASURES**

ELIMINATE IGNITION SOURCES.  
ABSORB SPILLAGE WITH INERT MATERIAL.  
CONTAIN SPILL AND KEEP FROM ENTERING WATERWAYS OR SEWERS.  
ADVISE EPA/STATE AGENCY IF REQUIRED.  
USE PERSONAL PROTECTIVE EQUIPMENT.  
SHOVEL, SWEEP OR VACUUM SPILL.

## **SECTION 10 TOXICOLOGICAL INFORMATION**

ACUTE STUDIES:  
TESTS ON SIMILAR MATERIALS SHOW A LOW ORDER OF ACUTE ORAL AND DERMAL TOXICITY.

EYE EFFECTS: MINIMAL IRRITATION ON CONTACT.

SKIN EFFECTS:  
PRACTICALLY NON-TOXIC IF ABSORBED. MAY CAUSE MILD IRRITATION WITH PROLONGED AND REPEATED CONTACT.

ACUTE ORAL EFFECTS:  
TESTS ON SIMILAR MATERIALS INDICATE LOW ORDER OF ACUTE ORAL TOXICITY.

ACUTE INHALATION EFFECTS: LOW ACUTE TOXICITY EXPECTED ON INHALATION.

THIS PRODUCT IS NOT LISTED AS A CARCINOGENIC OR A POTENTIAL CARCINOGEN BY THE NATIONAL TOXICOLOGY PROGRAM, BY THE I.A.R.C. MONOGRAPHS OR BY OSHA.

## **SECTION 11 STABILITY AND REACTIVITY**

STABILITY: STABLE

CONDITIONS TO AVOID: SOURCES OF IGNITION.

INCOMPATIBILITY: STRONG OXIDIZING OR REDUCING AGENTS.

DECOMPOSITION PRODUCTS: OXIDES OF CARBON AND HYDROGEN.

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR.

## **SECTION 12 ECOLOGICAL INFORMATION**

NO DATA AVAILABLE

## **SECTION 13 DISPOSAL CONSIDERATIONS**

FOLLOW FEDERAL, STATE AND LOCAL REGULATIONS. NOT A RCRA HAZARDOUS WASTE IF UNCONTAMINATED. IF "USED" RCRA CRITERIA MUST BE DETERMINED. DO NO FLUSH INTO DRAIN/STORM SEWER USE AN AUTHORIZED DISPOSAL SERVICE. IF PERMITTED INCINERATION MAY BE PRACTICAL. RECOMMEND RECYCLING.

## **SECTION 14 TRANSPORTATION INFORMATION**

PROPER SHIPPING NAME: LUBRICATING OILS. N.O.S.

SHIPPING CLASS: 65

DOT IDENTIFICATION NUMBER: N/A

DOT SHIPPING LABEL: NOT REGULATED BY DOT.

## **SECTION 15 REGULATORY STATUS**

U.S. FEDERAL REGULATORY INFORMATION:

SARA 302 THRESHOLD PLANNING QUANTITY: N/A

SARA 304 REPORTABLE QUANTITY: N/A

SARA 311 CATEGORIES:

ACUTE HEALTH EFFECTS: NONE

CHRONIC HEALTH EFFECTS: NONE

FIRE HAZARD: NO

SUDDEN RELEASE OF PRESSURE HAZARD: NO

REACTIVITY HAZARD: NO

EPA/TSCA INVENTORY:

THE COMPONENTS OF THIS PRODUCT ARE LISTED ON THE EPA/TSCA INVENTORY OF CHEMICALS.

EPA HAZARD CLASSIFICATION CODE: NOT APPLICABLE

CERCLA:

NO CHEMICALS IN THIS PRODUCT ARE SUBJECT TO THE REPORTING REQUIREMENTS OF CERCLA.

SARA TITLE III - SECTION 313 SUPPLIER NOTIFICATION:

NO CHEMICALS IN THIS PRODUCT EXCEED THE DE MINIMUS REPORTING LEVEL ESTABLISHED BY SARA TITLE III, SECTION 313 AND 40 CFR 372.

WHMIS CLASSIFICATION: NOT CONTROLLED.

## SECTION 16 OTHER INFORMATION

NFPA HAZARD RATING:

HEALTH            1 SLIGHT  
FLAMMABILITY 1 SLIGHT  
REACTIVITY      0 NEGLIGIBLE

SUPERSEDES MSDS DATED: 5/2/96

\*THRESHOLD LIMIT VALUE/PERSONAL EXPOSURE LIMIT

N/A = NOT APPLICABLE

N/E = NOT ESTABLISHED

DISCLAIMER OF EXPRESS OR IMPLIED WARRANTIES:

THE INFORMATION CONTAINED HEREIN IS BASED UPON DATA BELIEVED TO BE RELIABLE AND REFLECTS OUR BEST PROFESSIONAL JUDGMENT. ALTHOUGH REASONABLE CARE HAS BEEN TAKEN IN THE PREPARATION OF THIS DOCUMENT, WE EXTEND NO WARRANTIES AND MAKE NO REPRESENTATIONS AS TO THE ACCURACY OF COMPLETENESS OF THE INFORMATION CONTAINED THEREIN AND ASSUME NO RESPONSIBILITY REGARDING THE SUITABILITY OF THIS INFORMATION FOR THE USER'S INTENDED PURPOSE OR FOR THE CONSEQUENCE OF ITS USE. EACH INDIVIDUAL SHOULD MAKE A DETERMINATION AS TO THE SUITABILITY OF THE INFORMATION FOR HIS/HER PARTICULAR PURPOSE(S).

5/23/2008