

SAFETY DATA SHEET

1. Identification

Product identifier Thomas & Betts HM53A

Other means of identification

SDS number SDS-00041

Product code * See Section 16

Recommended use Corrosion Inhibitor

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Company name Thomas & Betts Corporation

Address 8155 T & B Boulevard
Memphis, TN 38125
US

Telephone 901-252-5000 ext.8324

E-mail Not available.

Emergency phone number For Hazardous Materials [or Dangerous Goods] Incident
Spill, Leak, Fire, Exposure, or Accident
Call CHEMTREC Day or Night
+1 703-741-5970

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Not classified.

Environmental hazards Hazardous to the aquatic environment, acute hazard Category 2
Hazardous to the aquatic environment, long-term hazard Category 2

OSHA defined hazards Not classified.

Label elements



Signal word None.

Hazard statement Toxic to aquatic life with long lasting effects.

Precautionary statement

Prevention Avoid release to the environment.

Response Collect spillage.

Storage Store away from incompatible materials.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise classified (HNOC) None known.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

Chemical name	CAS number	%
Zinc oxide	1314-13-2	1 - 5

4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation.
Indication of immediate medical attention and special treatment needed	Treat symptomatically.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media	Use fire-extinguishing media appropriate for surrounding materials.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Use water spray to cool unopened containers.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	The product is immiscible with water and will spread on the water surface. Stop the flow of material, if this is without risk. Following product recovery, flush area with water. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling	Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value	Form
Zinc oxide (CAS 1314-13-2)	PEL	5 mg/m ³	Fume.
		5 mg/m ³	Respirable fraction.
		15 mg/m ³	Total dust.

US. ACGIH Threshold Limit Values

Components	Type	Value	Form
Zinc oxide (CAS 1314-13-2)	STEL	10 mg/m ³	Respirable fraction.
	TWA	2 mg/m ³	Respirable fraction.

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value	Form
Zinc oxide (CAS 1314-13-2)	Ceiling	15 mg/m ³	Dust.

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value	Form
	STEL	10 mg/m3	Fume.
	TWA	5 mg/m3	Dust.
		5 mg/m3	Fume.
Biological limit values	No biological exposure limits noted for the ingredient(s).		
Exposure guidelines	Occupational Exposure Limits are not relevant to the current physical form of the product.		
Appropriate engineering controls	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.		
Individual protection measures, such as personal protective equipment			
Eye/face protection	Wear safety glasses with side shields (or goggles).		
Skin protection			
Hand protection	Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove supplier.		
Skin protection			
Other	Wear suitable protective clothing.		
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment.		
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.		
General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.		

9. Physical and chemical properties

Appearance

Physical state	Solid.
Form	Solid. Paste. Grease.
Color	Gray.

Odor Not available.

Odor threshold Not available.

pH Not available.

Melting point/freezing point Not available.

Initial boiling point and boiling range Not available.

Flash point > 250 °C / > 500 °F

Evaporation rate Not available.

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower (%) Not available.

Flammability limit - upper (%) Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not available.

Vapor density Not available.

Relative density Not available.

Solubility(ies)

Solubility (water) Insoluble (< 0.1)

Partition coefficient (n-octanol/water) Not available.

Auto-ignition temperature Not available.

Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Heat. Contact with incompatible materials.
Incompatible materials	Oxidizers.
Hazardous decomposition products	Carbon oxides.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Not a likely route of exposure under normal product handling conditions.
Skin contact	May cause skin irritation. Symptoms may include redness, edema, drying, defatting and cracking of the skin.
Eye contact	May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.
Ingestion	May be harmful if swallowed. May cause stomach distress, nausea or vomiting.
Symptoms related to the physical, chemical and toxicological characteristics	Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Acute toxicity	Not available.
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation.
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irritation.

Respiratory or skin sensitization

Respiratory sensitization	Not a respiratory sensitizer.
Skin sensitization	This product is not expected to cause skin sensitization.
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

NTP Report on Carcinogens

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.
Specific target organ toxicity - single exposure	Not classified.
Specific target organ toxicity - repeated exposure	Not classified.
Aspiration hazard	Not an aspiration hazard.
Further information	This product has no known adverse effect on human health.

12. Ecological information

Ecotoxicity	Toxic to aquatic life with long lasting effects.
--------------------	--

Components	Species	Test Results
Zinc oxide (CAS 1314-13-2)		
Aquatic		
Crustacea	LC50	Water flea (Daphnia magna) 0.098 mg/l, 48 Hours
Persistence and degradability	No data is available on the degradability of this product.	
Bioaccumulative potential	No data available.	
Mobility in soil	Expected to have low mobility in soil.	
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.	
13. Disposal considerations		
Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site.	
Local disposal regulations	Dispose in accordance with all applicable regulations.	
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.	
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).	
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.	
14. Transport information		
DOT		
UN number	UN3077	
UN proper shipping name	Environmentally hazardous substances, solid, n.o.s. (Zinc oxide)	
Transport hazard class(es)		
Class	9	
Subsidiary risk	-	
Label(s)	9	
Packing group	III	
Environmental hazards		
Marine pollutant	Yes	
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.	
Special provisions	8, 146, 335, A112, B54, IB8, IP3, N20, T1, TP33	
Packaging exceptions	155	
Packaging non bulk	213	
Packaging bulk	240	
IATA		
UN number	UN3077	
UN proper shipping name	Environmentally hazardous substance, solid, n.o.s. (Zinc oxide)	
Transport hazard class(es)		
Class	9	
Subsidiary risk	-	
Packing group	III	
Environmental hazards	Yes	
ERG Code	9L	
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.	
IMDG		
UN number	UN3077	
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Zinc oxide)	
Transport hazard class(es)		
Class	9	
Subsidiary risk	-	
Packing group	III	
Environmental hazards		
Marine pollutant	Yes	
EmS	F-A, S-F	
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.	

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

15. Regulatory information

US federal regulations All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Zinc oxide (CAS 1314-13-2) LISTED

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No
Delayed Hazard - No
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous chemical No

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.
Zinc oxide	1314-13-2	1 - 5

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA) Not regulated.

US state regulations

US. Massachusetts RTK - Substance List

Zinc oxide (CAS 1314-13-2)

US. New Jersey Worker and Community Right-to-Know Act

Zinc oxide (CAS 1314-13-2)

US. Pennsylvania Worker and Community Right-to-Know Law

Zinc oxide (CAS 1314-13-2)

US. Rhode Island RTK

Zinc oxide (CAS 1314-13-2)

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes

Country(s) or region	Inventory name	On inventory (yes/no)*
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	17-December-2015
Revision date	28-June-2016
Revision #	3
HMIS® ratings	Health: 1 Flammability: 0 Physical hazard: 0

NFPA ratings



Disclaimer

Thomas & Betts Corporation cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.

*Product codes

1 A 2129-750	3164-7	AAPT 1/0-90	ABB 552A064-01	AC 500 TN	AL 1000 NMS 45
1 A 2264-400	3M 69KV,500KCMIL SPL	AAPT 2/0-90	ABPG 4350 SLECC	AC 500-10 TNWE	AL 1000 NMSNP
1 A 2264-500	40016 (80610033682)	AAPT 2-90	ABPG 4350 SLECCK	AC 600 R 350	AL 1000 NTN
1 A 2270-250	40020 (80610033690)	AAPT 350	AC 1 TN	AC 600 R 400	AL 1000 NTN
1 A 2270-3/0	40024 (80610033708)	AAPT 350-90	AC 1/0 R 2	AC 600 TN	AL 1000 SSN
20001 (80610033518)	40025 (80610033716)	AAPT 4/0-90	AC 1/0 R 2 TN	AC 750	AL 1000-4 N
20002 (80610033526)	40028 (80610033724)	AAPT 4-90	AC 1/0 R 3	AC 750 R 500	AL 1000-4 N 45
20003 (80610033534)	40029 (80610033732)	AAPT 500-90	AC 1/0 R 4	AC 750 TN	AL 1000-4 N 90
20004 (80610033542)	40032 (80610033740)	AAPT 700-90	AC 1/0 R 6	AC 800	AL 1000-4 NTN
20005 (80610033559)	40033 (80610033757)	AASL 500 N	AC 1/0 TN	AC 800 R 600	AL 1000-48 TN
20006 (80610033567)	40037 (80610033765)	AAT 350-350	AC 1/0-HM	AC 800-608	AL 1000-58 MS
20007 (80610033575)	40041 (80610033773)	AAT 4/0-4/0	AC 1000	ACL-1036-4NNR	AL 1033-4 N
20008 (80610033583)	40045 (80610033781)	ABB 552A054-01	AC 1000 R 750	ACL-1216-3NNP-8-EHV	AL 1033-4 N 90
20009 (80610033591)	40046 (80610033799)	ABB 552A054-02	AC 1000 T	ACL-1246-4N15R	AL 1-14 TN
3000-25	40049 (80610033807)	ABB 552A054-03	AC 2 R 4	ACL-1246-4NNR	AL 1250 NGSH
3000-4-HM	40050 (80610033815)	ABB 552A054-04	AC 2 TN	ACL-1737-4NR	AL 1250 NTN
3000-5	40053 (80610033823)	ABB 552A054-05	AC 2/0 TN	ACL2-1036-9NNP-8-EHV	AL 1250-4 NTN
3000-6	40056 (80610033831)	ABB 552A054-06	AC 2/0-HM	ACL-2200-4NN90R	AL 1272-4 N 90
3000-7	40057 (80610033849)	ABB 552A054-07	AC 250 TN	ACL-2200-4NNR	AL 1-38 TN
3000-9-HM	40067 (80610033856)	ABB 552A054-08	AC 2-HM	ACL-372-4NN	AL 1500 N
3010-1	40073 (80610033864)	ABB 552A054-09	AC 3/0 R 1/0	ACL-736-4NN90R	AL 1500 NTN
3010-13	40079 (80610033872)	ABB 552A054-10	AC 3/0 TN	ACL-736-4NR	AL 2/0 N
3010-2 TN	40132 (80610033880)	ABB 552A054-11	AC 300 TN	AL 1/0 N	AL 2/0 NTN
3010-24	40137 (80610033898)	ABB 552A054-12	AC 350 R 4/0	AL 1/0 NGSH	AL 2/0-38 TN
3010-28 TN	40141 (80610033906)	ABB 552A054-13	AC 350 R 4/0 TN	AL 1/0 NTN	AL 2/0-48
3010-36 TN	40145 (80610033914)	ABB 552A054-14	AC 350 T	AL 1/0-38 TN	AL 2/0-48 TN
3010-4	40149 (80610033922)	ABB 552A054-15	AC 350 TN	AL 1/0-48	AL 2000-4 NEHV
3010-43 TN	40153 (80610033930)	ABB 552A054-16	AC 350-HM	AL 1/0-48 TN	AL 2000-4NN
3010-7	40156 (80610033948)	ABB 552A054-19	AC 4 TN	AL 100 MMNTN	AL 2-14 TN
3010-8 TN	40160 (80610033955)	ABB 552A054-20	AC 4/0 R 2/0	AL 100 MMNTN 45	AL 2-38
3164-1	40166 (80610033963)	ABB 552A054-25	AC 4/0 TN	AL 1000 CPTNTN	AL 2-38 TN
3164-2	40170 (80610033971)	ABB 552A054-26	AC 4/0-HM	AL 1000 N	AL 2-48
3164-3	40172 (80610033989)	ABB 552A054-27	AC 400 TN	AL 1000 N 90	AL 2-48 TN
3164-4	40178 (80610033997)	ABB 552A054-30	AC 500	AL 1000 NCP	AL 250 N
3164-5	A6M2T2-250-250	ABB 552A054-33	AC 500 R 350	AL 1000 NGSH	AL 2500-4 N
3164-6	AAL 500 N	ABB 552A054-34	AC 500 R 400 TN	AL 1000 NMS	AL 250-48

***Product codes**

AL 250-48 TN	AL 700 N 608 TN	ASC 6037	ATC 1000-7	CAL 750 NTN	CFK 2/0 HS
AL 3/0 N	AL 700-258-608 TN	ASC 750	ATC 1250	CAL 800 NTN	CFK 2/0 HSH
AL 3/0 NTN	AL 750 CPTNTN	ASC 750 R 400 STN	ATC 1250 R 750	CAL1	CFK 2/0 HSHSS
AL 3/0 NULP	AL 750 N	ASC 750 R 500	ATC 1250-7	CAL10	CFK 250 CS
AL 3/0-38 TN	AL 750 N 20 HS	ASC 750 R 500 TN	ATC 1500	CAL2	CFK 250 CSH
AL 3/0-48	AL 750 N 32 HS	ASC 750 R 500-608	ATC 1750	CAL20	CFK 250 CSPP
AL 3/0-48 TN	AL 750 N 608	ASC 750 TN	ATC 2	CAL30	CFK 250 HS
AL 300 N	AL 750 N 608 GSH	ASC 750-608	ATC 2 R 4	CAL4	CFK 250 HSHSS
AL 300 NTN	AL 750 N 608 TN	ASC 800 TN	ATC 2 TN	CAL40	CFK 3/0 CS
AL 300-48 TN	AL 750 N 90	ASC1250 R750-7046 TN	ATC 2/0	CAL6	CFK 3/0 CSH
AL 3061-1	AL 750 NTN	ASL 1/0 N	ATC 2/0 R 1/0	CAM 500 NTN	CFK 3/0 CSTNCAB
AL 3061-2	AL 750 NTN 90	ASL 1/0 NK	ATC 2000	CC 812 L/82680	CFK 3/0 HS
AL 336 NSC	AL 750-48 TN	ASL 1/0 NTN	ATC 2000 R 1250	CC 812 R/82681	CFK 3/0 HSHSS
AL 336 NSC 90	AL 750-58 TN	ASL 1000 N	ATC 3 TN	CCAL 750 N	CFK 4/0 CS
AL 350 N	AL 800 N	ASL 1000 NTN	ATC 3/0	CCAL 800 N	CFK 4/0 CSCAB
AL 350 N 15	AL 800 N 608	ASL 1000 SSN	ATC 3/0 R 1/0	CCAS 750	CFK 4/0 CSH
AL 350 NLLTN	AL 800 NTN	ASL 1000 SSNTN	ATC 3/0 R 1/0 TN	CCAS 800	CFK 4/0 CSTNCAB
AL 350 NLTN (LEFT)	AL 800 NTN-SSH	ASL 2 N	ATC 3/0 R 2	CCE 125 & CLD 20	CFK 4/0 HS
AL 350 NRTN (RIGHT)	AL 954 NMS	ASL 2 NTN	ATC 3/0 R 2 TN	CCF 250/82678A01	CFK 4/0 HSH
AL 350 NTN	AL250 NTN / SA4/0NTN	ASL 2/0 N	ATC 3/0 R 4 TN	CCL 600/82679	CFK 4/0 HSHSS
AL 350 NTN 90	ALCC-50-4N	ASL 2/0 NTN	ATC 3/0 TN	CCQ 225/82677	CI-CSA-2-1/0-H
AL 350-48	APH 2/0	ASL 2/0-48	ATC 300	CEC 2A603006P01	CI-CSA-2-250-H
AL 350-48 LTN (LEFT)	APH 350	ASL 250 N	ATC 300 R 3/0 TN	CEC 2A603006P03	CI-CSA-2-3/0-H
AL 350-48 TN	APH 4/0	ASL 3/0 N	ATC 300 R 4/0 TN	CEC 2A603006P04	CI-CSA-2-350-H
AL 4/0 N	APH 500	ASL 3/0 NTN	ATC 350	CEC 2A603006P06	CI-CSA-2-4/0-H
AL 4/0 NGSH	ARU-50C-40C	ASL 300 NTN	ATC 350 R 1/0	CEC 2A603006P09	CI-CSA-2-500-H
AL 4/0 NTN	ARU-75C-40C	ASL 350 N	ATC 350 R 2	CEC 2A603006P12	CI-CSA-2-750-H
AL 4/0 NTN 45	ARU-75C-40C-BC	ASL 350 NK	ATC 350 R 2/0	CEC 2A603006P15	CLF 350
AL 4/0 NTN	ASC 1 TN	ASL 350 NTN	ATC 350 R 3/0	CEC 2A603006P19	CLL 350
AL 4/0 NUTN	ASC 1/0	ASL 350 NTNK	ATC 350 R 4/0	CFA 500 NTN	CLL 600
AL 4/0-38 TN	ASC 1/0 NCS	ASL 350-48 TN	ATC 350 R 4/0 TN	CFA 500-48	CLL 750
AL 4/0-48	ASC 1/0 TN	ASL 4 NTN	ATC 350 TN	CFA 500-48 TN	CLN 500 L/802834
AL 4/0-48 RTN	ASC 1000	ASL 4/0 N	ATC 4/0 R 1/0	CFB 250 CSH	CLN 500 R/802835
AL 4/0-48 TN	ASC 1000 CPT	ASL 4/0 NK	ATC 4/0 R 1/0 TN	CFB 350 CS	CMP 100
AL 400 N	ASC 1000 TN	ASL 4/0 NTN	ATC 4/0 R 2 TN	CFB 350 CSTNCAB	CSB 2/0-5 S
AL 400 N 16 HS	ASC 1250	ASL 4/0 NTNK	ATC 4/0 R 2/0	CFB 350 HS	CSB 250-5 S
AL 400 N 24 HS	ASC 1250 TN	ASL 4/0-48 TN	ATC 4/0 R 2/0 TN	CFB 350 HSH	CSG 500-4
AL 400 N 90	ASC 1250-6.5	ASL 400 N	ATC 4/0 TN	CFB 350 TN	CSG 750-10
AL 400 NTN	ASC 1250-6.5 TN	ASL 400 NTN	ATC 4/0-HM	CFG 1 CS	CSG 750-4
AL 400-38 TN	ASC 1500	ASL 500 N	ATC 400	CFG 1 CSCAB	CSG 750-6
AL 400-48	ASC 1500 TN	ASL 500 NK	ATC 400 R 300 TN	CFG 1 HSHSS	CSG 750-8
AL 400-48 TN	ASC 2	ASL 500 NTN	ATC 400 R4/0-1.320TN	CFG 1/0 CS	DHB 350
AL 4-14 TN	ASC 2 TN	ASL 500 NTNK	ATC 500	CFG 1/0 CSCAB	DHB 500
AL 4-38 TN	ASC 2/0	ASL 500-258 NTN	ATC 500 R 1/0	CFG 1/0 CSH	DHK 1
AL 4-516	ASC 2/0 R 1/0	ASL 600 NK	ATC 500 R 1/0 TN	CFG 1/0 CSTNCAB	DHK 1/0
AL 4-516 TN	ASC 2/0 R 1/0 TN	ASL 600 NTN	ATC 500 R 250 TN	CFG 1/0 HS	DHK 2
AL 500 N	ASC 2/0 R 2	ASL 750 N	ATC 500 R 300 TN	CFG 1/0 HSH	DHK 2/0
AL 500 N 20 HS	ASC 2/0 TN	ASL 750 N 608	ATC 500 R 350	CFG 1/0 HSHSS	DHK 300
AL 500 N 24 HS	ASC 250	ASL 750 N 608 TN	ATC 500 R 350 TN	CFG 1/0 TN	DHK 4/0
AL 500 N 32 HS	ASC 250 TN	ASL 750 NK	ATC 500 R 4/0	CFG 2 CS	E MOLD 00800220
AL 500 N 608	ASC 3/0	ASL 750 NTN	ATC 500 R 4/0 TN	CFG 2 CSCAB	E MOLD 00800240
AL 500 N 90	ASC 3/0 TN	ASL 750 NTNK	ATC 500 TN	CFG 2 CSH	E MOLD 00800250
AL 500 NLTN	ASC 300	ASL 800 NTN	ATC 5789	CFG 2 CSTNCAB	E MOLD 00800260
AL 500 NRTN	ASC 300 TN	ASL 800 NTNK-SSH	ATC 600	CFG 2 HS	E MOLD 00800270
AL 500 NTN	ASC 350	ASL250NTN/SASL4/0NTN	ATC 600 TN	CFG 2 HSH	E MOLD 00800280
AL 500 NTN 45	ASC 350 TN	AT 1/0-1/0	ATC 750	CFG 2 HSHSS	E MOLD 00800290
AL 500 NTN 90	ASC 4	AT 2/0-2/0	ATC 750 R 350	CFG 340 HS	E MOLD 00800300
AL 500-38	ASC 4 TN	AT 336-336	ATC 750 R 4/0	CFG 4 CS	E MOLD 00800320
AL 500-4 N	ASC 4/0	AT 350-350	ATC 750 R 500	CFG 4 CSCAB	E MOLD 00800330
AL 500-4 NTN	ASC 4/0 R 2/0	AT 4/0-4/0	ATC 750 R 500 TN	CFG 4 CSH	E MOLD 00800340
AL 500-48	ASC 4/0 TN	AT 500-500	ATC 750 R 500-6	CFG 4 HS	E MOLD 00800350
AL 500-48 SB	ASC 400 TN	ATC 1	ATC 750 R 500-7	CFG 4 HSHSS	E MOLD 00800360
AL 500-48 TN	ASC 4225	ATC 1 R 2	ATC 750 TN	CFG 6 CS	E MOLD 00800380
AL 500-58 TN	ASC 4226	ATC 1/0	ATT 350-350	CFG 6 CSH	E MOLD 01000210
AL 600 N	ASC 4227	ATC 1/0 R 2	ATT 4/0-4/0	CFG 6 HS	E MOLD 01000220
AL 600 N 20 HS	ASC 500	ATC 1/0 R 2 TN	ATT 500-500	CFG 8 CS	E MOLD 01000230
AL 600 N 32 HS	ASC 500 R 2 TN	ATC 1/0 R 4	AYCT2-2/0-250	CFG 8 CSCAB	E MOLD 01000240
AL 600 N 608 TN	ASC 500 R 2/0	ATC 1/0 R 4 TN	AYCT2-350-250	CFG 8 CSH	E MOLD 01000270
AL 600 NTN	ASC 500 TN	ATC 1/0 R 6 TN	AYTK-50-2N	CFG 8 HSE MOLD 01100240	
AL 600-48 TN	ASC 6	ATC 1/0 TN	CAB 350 NTN	CFK 1/0 CS	E MOLD 01100260
AL 600-58 TN	ASC 6 TN	ATC 1000	CAD 1590-4 N	CFK 1/0 CSCAB	E MOLD 0240140P
AL 605 NSC	ASC 600 TN	ATC 1000 CPT	CAK 3/0 NTN	CFK 1/0 HS	E MOLD 0240141PCS507
AL 605 NSC 90	ASC 6001 TN	ATC 1000 R 500	CAK 4/0 NUE	CFK 2/0 CS	E MOLD 0240321P
AL 6-14 TN	ASC 6003 TN	ATC 1000 R 750	CAL 1000 N	CFK 2/0 CSCAB	E MOLD 0240322P
AL 700 N 608	ASC 6012	ATC 1000 R 750-7	CAL 1000 NTN	CFK 2/0 CSH	E MOLD 0240323P

***Product codes**

E MOLD 02403242	E MOLD 03730290	E MOLD 2412029P-21	GLE 3/0-48 TN	PA02	RRS 350
E MOLD 0240324P	E MOLD 03730310	E MOLD 2412030P-22	GLE 300 N	PA04	RRS 350300
E MOLD 0240325P	E MOLD 03730330	E MOLD 2412030P-23	GLE 300-48 TN	PA06	RRS 35040
E MOLD 0240326P	E MOLD 03730360	E MOLD 2412031P-24	GLE 350	PA11	RRS 40
E MOLD 0240327P	E MOLD 03731360	E MOLD 2412031P-25	GLE 350 N	PA21	RRS 4010
E MOLD 0240328P	E MOLD 03731380	E MOLD 2412033P-26	GLE 350 NTN	PA25	RRS 4020
E MOLD 0240329P	E MOLD 0390330P-27P	E MOLD 2412033P-27	GLE 350-48	PA30	RSG 10-48
E MOLD 0240330P	E MOLD 0390333P-27P	E MOLD 2412036P-28	GLE 350-48 TN	PA31	RSG 2-48
E MOLD 0240331P	E MOLD 0390336P-29P	E MOLD 2412036P-29	GLE 4/0 N	PA35	RSG 4-48
E MOLD 0240332P	E MOLD 0390338P-30P	E MOLD 2412038P-30	GLE 4/0-48	PA40	RSG 6-48
E MOLD 0240333P	E MOLD 0390338P-31P	E MOLD 2412038P-31	GLE 4/0-48 TN	PA41	RSK 2/0-48
E MOLD 0240333P-30P	E MOLD 0390338P-34P	E MOLD 2412040P-32	GLE 500	PA50-BB	SA 1/0
E MOLD 0240335P	E MOLD 0390338P-36P	E MOLD 2412041P-33	GLE 500 N	PA60	SA 1/0-38
E MOLD 0240338P	E MOLD 0390341P-33P	E MOLD 2487023P-21	GLE 500 N-30	PA75BB	SA 1/0-38 TN
E MOLD 0240340P	E MOLD 0390341P-38P	E MOLD 2487023P-23	GLE 500 NTN	PCSB 250-6	SA 1/0-48
E MOLD 0240341P	E MOLD 0580141P-38P	E MOLD 2487024P-3	GLE 500-48	PCSB 4-6 Y	SA 1/0-48 TN
E MOLD 0240344P	E MOLD 0580141P-40P	E MOLD 2487031P-11	GLE 500-48 TN	PCSB 500-7 Y	SA 1000
E MOLD 02600220	E MOLD 0580325P-23P	E MOLD 2487033P-20	GLE 750 N	PSB4359C	SA 10-48-HM
E MOLD 02600230	E MOLD 0580325P-24P	E MOLD 650S-C-0240	GTM-35-2NE4	PSB4559C	SA 2 N
E MOLD 02600240	E MOLD 0580326P-24P	E MOLD 650S-C-0250	HM 53	PSB6359C	SA 2 N 90
E MOLD 0330327P	E MOLD 0580327P-24P	E MOLD 650S-C-0270	HM 53 SPKG	PSB6559C	SA 2 NGSH
E MOLD 0330333P	E MOLD 0580327P-25P	E MOLD 650S-C-0290	HM 53-1G	PSB8359C	SA 2 NTN
E MOLD 0330336P	E MOLD 05830310-290	E MOLD 650S-C-0300	HM 53-1P	PSB8559C	SA 2 NUE
E MOLD 0330338P	E MOLD 0590323P-21P	E MOLD 650S-C-0320	HM 53-5G	PT-26607-H	SA 2/0
E MOLD 0330341P	E MOLD 0590323P-22P	E MOLD 650S-C-0330	LAA 1/0-12	PT-26609-H	SA 2/0 N
E MOLD 0340123P	E MOLD 0590324P-20P	E MOLD 650S-C-0360	LAA 1/0-38	PT-4011-H	SA 2/0 NTN
E MOLD 0340321P	E MOLD 0590324P-21P	E MOLD 650S-C-0380	LAA 1/0-56	RRK 1	SA 2/0-38
E MOLD 0340322P	E MOLD 0590324P-22P	E MOLD 650S-C-0400	LAA 1000-58	RRK 10	SA 2/0-48
E MOLD 0340323P	E MOLD 0590324P-23P	E MOLD 650S-C-0410	LAA 1-14	RRK 10 HS	SA 2/0-48 TN
E MOLD 0340324P	E MOLD 0590325P-24P	E MOLD03700410-CS725	LAA 1-38	RRK 102	SA 2-38
E MOLD 0340325P	E MOLD 0590326P-23P	EH-1499-B-GHC	LAA 1-56	RRK 2	SA 2-38 TN
E MOLD 0340327P	E MOLD 0590327P-21P	EH-1516-B-B-GHC	LAA 2/0-12	RRK 2 HS	SA 2-48
E MOLD 0340328P	E MOLD 0590327P-23P	EH-1688-13-GHC	LAA 2/0-38	RRK 20	SA 2-48 L
E MOLD 0340328P-27P	E MOLD 0590327P-24P	EM0700324P-23PCS1045	LAA 2-14	RRK 20 HS	SA 2-48 TN
E MOLD 0340922P	E MOLD 0590327P-25P	EMOLD 0240141P	LAA 2-38	RRK 201	SA 2-48 W/218
E MOLD 03600220	E MOLD 0690136P	EMOLD 03700220	LAA 250-12	RRK 2010	SA 3 N
E MOLD 03600240	E MOLD 0700322P-21P	EMOLD 03700240	LAA 250-38	RRK 202	SA 3 NTN
E MOLD 03600250	E MOLD 0700323P-21P	EMOLD 03700240-CS725	LAA 2-56	RRK 20-INS	SA 3/0
E MOLD 03600260	E MOLD 0700323P-22P	EMOLD 03700250	LAA 3/0-12	RRK 21	SA 3/0 N
E MOLD 03600270	E MOLD 0700324P-22P	EMOLD 03700270-CS725	LAA 3/0-38	RRK 250	SA 3/0 NTN
E MOLD 03600280	E MOLD 0700324P-23P	EMOLD 03700320-CS725	LAA 300-12	RRK 25040	SA 3/0-38
E MOLD 03600290	E MOLD 0710325P-24P	EMOLD 03700330-CS725	LAA 300-38	RRK 2-INS	SA 3/0-48
E MOLD 03600300	E MOLD 0710326P-21P	EMOLD 03700360-CS725	LAA 350-12	RRK 30	SA 3/0-48 TN
E MOLD 03600310	E MOLD 0710326P-24P	EMOLD 08600200/210	LAA 4/0-12	RRK 300	SA 3/0-48 V1
E MOLD 03600320	E MOLD 0720136P	EMOLD 08600230	LAA 4/0-38	RRK 30040	SA 300
E MOLD 03600330	E MOLD 0720140P	EMOLD 08600260	LAA 400-58	RRK 3010	SA 300 N
E MOLD 03600350	E MOLD 0720144P	EMOLD0240323PCS1045	LAA 4-14	RRK 3020	SA 300 NTN
E MOLD 03600360	E MOLD 0720146P	EMOLD0240330P-27P	LAA 4-38	RRK 30-840	SA 300-48
E MOLD 03600380	E MOLD 0720147P	EMOLD0240336P	LAA 4-56	RRK 350	SA 300-48 TN
E MOLD 03600390	E MOLD 0730325P-22P	EMOLD03700230-CS1045	LAA 500-12	RRK 350 HS	SA 3-48
E MOLD 03600400	E MOLD 0730325P-23P	EMOLD03700290-CS725	LAA 500-58	RRK 350300	SA 3-48 TN
E MOLD 03600410	E MOLD 08600180/190	EMOLD03700300CS725	LAA 6-14	RRK 35040	SA 350
E MOLD 03700230	E MOLD 08600220	EMOLD03700380CS725	LAA 6-56	RRK 35040-INS	SA 350 N
E MOLD 03700260	E MOLD 08600240	EMOLD650RC-0260-0240	LAA 750-58	RRK 350-INS	SA 350 N 90
E MOLD 03700270	E MOLD 08600270	EMOLD650RC-0290-0240	LAB 1/0-38	RRK 4	SA 350 NTN
E MOLD 03700280	E MOLD 2412021P-1	EMOLD650RC-0330-0270	LAB 1000-12	RRK 4 HS	SA 350-48
E MOLD 03700290	E MOLD 2412022P-2	EMOLD650RC-0380-0330	LAB 2/0-12	RRK 40	SA 350-48 TN
E MOLD 03700300	E MOLD 2412022P-3	EMOLD650RC-0410-0380	LAB 250-12	RRK 40 HS	SA 386 N
E MOLD 03700310	E MOLD 2412023P-4	FPL 556 NL	LAB 3/0-12	RRK 4010	SA 386-48
E MOLD 03700320	E MOLD 2412023P-5	FPL 600 N	LAB 300-12	RRK 4010 HS	SA 386-48 TN
E MOLD 03700330	E MOLD 2412023P-6	FPL 800 N	LAB 350-12	RRK 4020	SA 4
E MOLD 03700350	E MOLD 2412024P-7	FSK 5585	LAB 4/0-12	RRK 4020-INS	SA 4 N
E MOLD 03700360	E MOLD 2412024P-8	GAK-2-2NE2	LAB 400-12	RRK 4030	SA 4 N 90
E MOLD 03700380	E MOLD 2412024P-9	GAK-593-2N90R	LAB 500-12	RRK 40-840	SA 4 NTN
E MOLD 03700390	E MOLD 2412025P-10	GLE 1/0 N	LAB 600-12	RRK 40-INS	SA 4/0
E MOLD 03700400	E MOLD 2412025P-11	GLE 1/0-48	LAB 750-12	RRK 500	SA 4/0 N
E MOLD 03700410	E MOLD 2412026P-12	GLE 1/0-48 TN	LAB 800-12	RRK 500-INS	SA 4/0 N 90
E MOLD 03700420	E MOLD 2412026P-13	GLE 2/0 N	ML 38-1422	RRK 6	SA 4/0-38
E MOLD 03700440	E MOLD 2412026P-14	GLE 2/0-48 TN	ML 38-1427	RRS 10	SA 4/0-4 N
E MOLD 03700460	E MOLD 2412027P-15	GLE 2-48	ML 38-1430	RRS 101	SA 4/0-48
E MOLD 03700470	E MOLD 2412027P-16	GLE 2-48 TN	ML 38-1433	RRS 102	SA 4/0-48 TN
E MOLD 03730230	E MOLD 2412028P-17	GLE 250 N	ML 38-1435	RRS 2	SA 400
E MOLD 03730240	E MOLD 2412028P-18	GLE 3/0	MSL 350	RRS 20	SA 400 N
E MOLD 03730250	E MOLD 2412029P-19	GLE 3/0 N	MSL 500	RRS 2010	SA 400 NTN
E MOLD 03730270	E MOLD 2412029P-20		PA01	RRS 250	SA 400-48

***Product codes**

SA 6	SAC 350 R 4/0 TN	SAKM 250-48 TN	SAM 600 N	SKAC 4/0	SLK 22-60 M
SA 6 N	SAC 350 TN	SAKM 3/0-38	SAM 600 NTN	SKAC 500	SLK 60 M
SA 6 NTN	SAC 4	SAKM 3/0-38 TN	SAM 600-4 N	SKAC 500 TN	UH 11
SA 600	SAC 4 R 6	SAKM 3/0-48	SAM 600-4 NTN	ULSK 350 HS	UH 11 SL
SA 6-38	SAC 4/0	SAKM 3/0-48 TN	SAM 600-48 TN	ULSK 500 HS	ULSK 1/0
SA 6-48	SAC 4/0 R 1/0	SAKM 300-48	SAR 1/0-2	URS 125	ULSK 2
SA 6-48 TN	SAC 4/0 R 1/0 TN	SAKM 300-48 TN	SAR 2-4	URS 125 CSN	ULSK 2/0
SA 750	SAC 4/0 R 2	SAKM 350-38	SAR 3/0-1/0	URS 125-17 1/2	ULSK 250
SA 8 N	SAC 4/0 R 2/0	SAKM 350-48	SAR 350-4/0	VBR2-P-200E13-EHC	ULSK 3/0
SA 8 NTN	SAC 4/0 R 2/0 TN	SAKM 350-48 DP	SAR 4/0-2/0	VLLC-200E13-4NN-EHC	ULSK 350
SA 800	SAC 4/0 R 2/0-3	SAKM 350-48 TN	SAR 500-350	VLLC-200E13-6NW-EHC	ULSK 4
SA1-TB	SAC 4/0 TN	SAKM 4/0-38	SAR 600-500	VTC-143-200-EHC	ULSK 4/0
SA250 P	SAC 400 R 350 TN	SAKM 4/0-38 TN	SASC 350	CFK 1/0 CSH	ULSK 500
SA2-TB	SAC 500	SAKM 4/0-48	SASC 4/0	LAC102WL2P	ULSK 6
SAB 3/0 N	SAC 500 R 2	SAKM 4/0-48 TN	SASL 1/0-48 TN	LAC42WL2PSC	ULSK 750
SAB 300 N	SAC 500 R 2/0	SAKM 4-38	SASL 2/0 N	DHB 350 CSN	USK 350
SAB 300 NTN	SAC 500 R 3/0	SAKM 4-38 TN	SASL 2/0 NTN	DHK 1/0 CS	USK 4/0 SL
SAB 350-225 STN	SAC 500 R 300	SAKM 4-48	SASL 2/0-48	DHK 2 CS	USK 500
SAB 350-48 TN V1	SAC 500 R 350	SAKM 4-48 TN	SASL 2/0-48 TN	DHK 2/0 CS	USK 750
SAB 4/0 N	SAC 500 R 350 TN	SAKM 6-38	SASL 2-48 TN	DHK 250 CSN	USK 750 TN
SAB 4/0 NTN	SAC 500 R 4/0	SAKM 6-48	SASL 3/0 N	DHK 3/0 CS	YDU
SAB 500 N	SAC 500 R 4/0 TN	SAKM 6-48 TN	SASL 3/0-48 TN	DHK 4 CS R3	YFC 1/0
SAB 500 NTN	SAC 500 R 400 TN	SAL 1000 N	SASL 4/0 N	DHK 4 CSN	YFU
SAB 500 NTN V1	SAC 500 TN	SAL 1000 N 45	SASL 4/0 NTN	DHK 4/0 CS	AL 350 N 20 HS
SAB 500-48	SAC 600	SAL 1000 NL	SASL 4/0-48	DYU 2	AL 350 N 24 HS
SAB 500-48 TN	SAC 600 R 500-608 TN	SAL 1000 NL 45	SASL 4/0-48 TN	DYU 6	SG 24 W/FSS 20 CAB
SAB 500-48 TN V1	SAC 750	SAL 1000 NTN	SASL 6 NTN	DYU-M	YDC 4
SAC 1	SAC 750 CPTR400CPTTN	SAL 1000-4 N	SASL 650 N	DYU-M V1	ABD 350-66 SL
SAC 1 CC	SAC 750 CPTR600CPTTN	SAL 1000-4 N 45	SAT 2-48	FS 212-6491	ABD 4350 SLL
SAC 1 R 2	SAC 750 CPTR700CPTTN	SAL 1000-4 NTN	SAT 4/0 APS	FS 212-6493	ABD 4500-1
SAC 1 R 2 CC	SAC 750 CPTTN	SAL 1033-4 N	SAT 4/0-48	FS 212-6510	ABD 4500-58
SAC 1/0	SAC 750 R 1/0 TN	SAL 500 N	SATC 1	FS 212-6510 V1	ABD 6350 SL
SAC 1/0 R 1 CY	SAC 750 R 350	SAL 500 NTN	SATC 1/0	FS 222-6491	ABD 6350 SL SB 12CLR
SAC 1/0 R 2	SAC 750 R 350 TN	SAL 500-4 N	SATC 1/0 R 2	FS 222-6493	ABD 6350 SLL
SAC 1/0 R 2 CC	SAC 750 R 4/0	SAL 600 N	SATC 1/0 TN	FSK 1	ABD 6350-1 SL
SAC 1/0 R 2 TN	SAC 750 R 500	SAL 600 N 90	SATC 1000 CPT 1 3/4	FSK 1/0	ABD 6350-1 SLL
SAC 1/0 R 4	SAC 750 R 500 TN	SAL 600 NTN	SATC 2/0	FSK 1/0 R 2	ABD 6350-1 SLL
SAC 1/0 R 4 TN	SAC 750 R 600 TN	SAL 600-4 N	SATC 2 LTN	FSK 2	ABD 6500-1 SLC
SAC 1/0 R 6 TN	SAC 750 TN	SAL 600-4 N 90	SATC 2 R 4	FSK 2/0	ABD 6500-58 SL
SAC 1/0 TN	SACB 250	SAL 600-4 NTN	SATC 2 R 4 TN	FSK 2/0 R 1/0	ABD 8350 SL
SAC 1000	SACL 500	SAL 636 N	SATC 2/0	FSK 3/0	ABD 8350 SLCSS
SAC 1000 CPT R 500	SAF 800-4 N	SAL 636-4 N	SATC 2/0 TN	FSK 350	ABD 8350 SLL
SAC 1000 CPT R 750	SAG 4/0-48 TN	SAL 650 N	SATC 3/0	FSK 350 R 4/0	ABD 8350 SLLCSS
SAC 1000 CPTR 600 TN	SAK 1/0 N	SAL 650 NTN	SATC 350 R 250	FSK 3883-500	ABD 8350-1 SL
SAC 1000 R 400 TN	SAK 1/0 NTN	SAL 650-4 N	SATC 4/0	FSK 4	ABD 8350-1 SLCSS
SAC 1000 R 500	SAK 1/0-38	SAL 750 N	SATC 4/0 R 2/0	FSK 4/0	ABD 8350-1 SLL
SAC 1000 R 500 TN	SAK 1/0-48	SAL 750 NTN	SATC 4/0 R 3/0 TN	FSK 4/0 R 2/0	ABD 8350-1 SLLCSS
SAC 1000 R 750	SAK 1/0-58	SAL 750 NTN V1	SATC 4/0 TN	FSK 500	ASA 6 N 1 W/JAM NUT
SAC 1000 R 750 TN	SAK 1/0-58 TN	SAL 750-4 N	SATC 400	FSK 500 R 1/0	ASA 6 N W/JAM NUT
SAC 1000CPTR750CPTTN	SAK 2 N	SAL 750-4 NTN 90	SATC 719 R 340	FSK 500 R 2/0	TSL6E58
SAC 2	SAK 2 NTN	SAL 750-48	SATC 750	FSK 500 R 350	TSL6SE10
SAC 2 R 4	SAK 2/0 NTN V1	SAL 800 N	SATC 843 R 719	FSK 500 R 4/0	TSL6SE58
SAC 2 R 4 TN	SAK 350 N	SAL 800 N 45	SC0001 (78800943363)	FSK 500-10	TSL8E10
SAC 2 TN	SAK 350 NTN	SAL 800 N 90	SC0002 (78800943355)	FSK 6	TSL8E58
SAC 2/0	SAK 4 N	SAL 800 NL	SC0010 (78800943371)	FSK 750	ZKB 5033 SL-58 SW
SAC 2/0 R 1/0	SAK 4 NTN	SAL 800 NTN	SC001010 78802531620	FSK-1000	ZKB 7053 SL-1
SAC 2/0 R 1/0 TN	SAK 4/0 NTN V1	SAL 800-4 N	SC0020 (78800943389)	FSS 500 LPSCC	ZKB 7053 SL-58
SAC 2/0 R 2	SAK 4-875	SAL 800-4 N 15	SC0030 (78800943397)	FSS 500 LPSCC V1	RBC 1000-3500
SAC 250	SAK 6-48	SAL 800-4 N 45	SC0040 (78800943405)	FSS 500 LPSCC-1	RBC 1000-6500
SAC 250 R 3/0 TN	SAKM 1/0-38	SAL 800-4 N 90	SG 1010	FYA 1/0	RBC 1000-8500
SAC 250 R 4/0 TN	SAKM 1/0-38 TN	SAL 800-4 NTN	SG 102	FYA 2	SL 3-2 K
SAC 3/0	SAKM 1/0-48	SAL750-4NTN	SG 103	FYA 2/0	SLK 2
SAC 3/0 R 1/0 TN	SAKM 1/0-48 TN	SAM 300-4 NTN	SG 202	FYA 4	SLK 3 A
SAC 3/0 R 2/0	SAKM 1-38	SAM 350-4 N	SG 2020	FYU 2	SLK 6
					FSK 250
					ABC-L-MBH
					A7M-40-4NN-MBH