# SAFETY DATA SHEET

# Honeywell

#### 1. Identification

**Product identifier Uvex Clear Solution** 

Other means of identification

Product code S461, S463, S464, S467 Recommended use Lens cleaning solution.

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Company name: Honeywell Safety Products USA, Inc. Address: 10 Thurber Blvd, Smithfield, RI 02917

Telephone: +1-800-873-5242

**Contact Person** hsptechsupport@honeywell.com

E-mail: msds@chemtrec.com

**Emergency telephone** +1-703-741-5500 for USA/Canada

number:

## 2. Hazard(s) identification

Physical hazards Not classified. Not classified. **Health hazards OSHA** defined hazards Not classified.

Label elements

**Hazard symbol** None. None. Signal word

**Hazard statement** The mixture does not meet the criteria for classification.

**Precautionary statement** 

Prevention Observe good industrial hygiene practices.

Wash hands after handling. Response

Store away from incompatible materials. Storage

**Disposal** Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information

None.

## 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	CAS number	%
2-Butoxyethanol	111-76-2	<6
Sodium Lauryl Ether Sulfate	68585-34-2	<2

**Composition comments** All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in

percent by volume.

4. First-aid measures

Inhalation If symptomatic, move to fresh air. Get medical attention if symptoms persist.

Skin contact Wash skin with soap and water. Get medical attention promptly if symptoms occur after washing.

Remove contact lenses. Get medical attention promptly if symptoms occur after flushing. Eye contact

Seek medical advice. Ingestion

**Uvex Clear Solution** SDS US 916580 Version #: 01 Issue date: 06-July-2015 Revision date: -

Most important symptoms/effects, acute and

delayed

Indication of immediate medical attention and special Treat symptomatically.

No specific symptoms noted.

treatment needed

**General information** In the case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

5. Fire-fighting measures

Suitable extinguishing media Unsuitable extinguishing

Water. Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

No restrictions known.

Specific hazards arising from

the chemical

media

None.

Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment/instructions Self-contained breathing apparatus operated in positive pressure mode and full protective clothing must be worn in case of fire.

General fire hazards No unusual fire or explosion hazards noted.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For industrial use, wear appropriate personal protective equipment (See Section 8).

Methods and materials for containment and cleaning up

Stop leak if you can do so safely. Absorb spill with appropriate sand, clay or other inert sorbent

material, then place in appropriate waste container.

Large Spills: Flush area with water. Treat runoff per applicable environmental regulations

pertaining to drains, water courses and ground water, diking if required.

**Environmental precautions** Treat discharge into drains, water courses or onto the ground according to applicable regulations.

7. Handling and storage

Precautions for safe handling Observe good industrial hygiene practices. Avoid inhalation of vapors and contact with skin and

eyes.

Conditions for safe storage, including any incompatibilities Keep container closed. Store away from incompatible materials. Do not allow material to freeze.

Keep at temperature not exceeding 43°C / 110°F.

## 8. Exposure controls/personal protection

#### Occupational exposure limits

#### US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	
2-Butoxyethanol (CAS 111-76-2)	PEL	240 mg/m3	
		50 ppm	
US. ACGIH Threshold Limit Valu	ies		
Components	Туре	Value	
2-Butoxyethanol (CAS 111-76-2)	TWA	20 ppm	
US. NIOSH: Pocket Guide to Ch	emical Hazards		
Components	Туре	Value	
2-Butoxyethanol (CAS 111-76-2)	TWA	24 mg/m3	

**Uvex Clear Solution** SDS US

916580 Version #: 01 Revision date: -Issue date: 06-July-2015 2/6

5 ppm

#### **ACGIH Biological Exposure Indices**

Components	Value	Determinant	Specimen	Sampling Time	
2-Butoxyethanol (CAS 111-76-2)	200 mg/g	Butoxyacetic acid (BAA), with hydrolysis	Creatinine in urine	*	

<sup>\* -</sup> For sampling details, please see the source document.

**Exposure guidelines** No exposure standards allocated.

US - California OELs: Skin designation

2-Butoxyethanol (CAS 111-76-2) Can be absorbed through the skin.

US - Minnesota Haz Subs: Skin designation applies

2-Butoxyethanol (CAS 111-76-2) Skin designation applies.

**US - Tennessee OELs: Skin designation** 

2-Butoxyethanol (CAS 111-76-2) Can be absorbed through the skin.

**US. NIOSH: Pocket Guide to Chemical Hazards** 

2-Butoxyethanol (CAS 111-76-2) Can be absorbed through the skin.

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

2-Butoxyethanol (CAS 111-76-2) Can be absorbed through the skin.

Appropriate engineering

Not required.

controls

Individual protection measures, such as personal protective equipment

Eye/face protection None under normal conditions.

Skin protection

**Hand protection** Chemical resistant gloves are recommended.

None under normal working conditions. Other

Respiratory protection Not normally needed.

Wear appropriate thermal protective clothing, when necessary. Thermal hazards

**General hygiene** Always observe good personal hygiene measures, such as washing after handling the material

and before eating, drinking, and/or smoking. considerations

## 9. Physical and chemical properties

**Appearance** Clear tinted liquid.

Liquid. Physical state Liquid. **Form** Color Clear tinted. Odor Slight odor. **Odor threshold** Not available. Not available. Melting point/freezing point Not available. Initial boiling point and boiling 212 °F (100 °C)

range

Flash point > 212.0 °F (> 100.0 °C) **Evaporation rate** < 1 (Butyl acetate=1) Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

Not available.

Explosive limit - lower (%) Not available. Not available. Explosive limit - upper (%)

Vapor pressure 22 mm Hg (20°C/68°F)

Not available. Vapor density

**Uvex Clear Solution** SDS US 916580 Version #: 01 Revision date: -3/6 Issue date: 06-July-2015

MSD-V363 (NewPig)

0.98 Relative density

Solubility(ies)

Solubility (water) Completely soluble in water.

**Partition coefficient** 

Not available.

(n-octanol/water)

Not available. **Auto-ignition temperature** Not available. **Decomposition temperature** Not available. **Viscosity** 

## 10. Stability and reactivity

Reactivity Stable at normal conditions.

**Chemical stability** Material is stable under normal conditions. Possibility of hazardous Hazardous polymerization does not occur.

reactions

Conditions to avoid Contact with incompatible materials. Freezing. Elevated temperatures.

Incompatible materials Strong oxidizers, strong acids, and strong bases. **Hazardous decomposition** No hazardous decomposition products are known.

products

# 11. Toxicological information

## Information on likely routes of exposure

Under normal conditions of intended use, this material is not expected to be an inhalation hazard. Inhalation

Skin contact Prolonged or repeated contact may dry skin and cause irritation.

Eye contact May cause temporary eye irritation.

No harmful effects expected in amounts likely to be ingested by accident. Ingestion

Symptoms related to the physical, chemical and toxicological characteristics May cause discomfort if swallowed.

## Information on toxicological effects

**Acute toxicity** Not expected to be acutely toxic.

Skin corrosion/irritation Prolonged or repeated contact may dry skin and cause irritation.

Serious eye damage/eye

irritation

May cause temporary eye irritation.

#### Respiratory or skin sensitization

Respiratory sensitization Not classified. Skin sensitization Not a skin sensitizer. Not classified. Germ cell mutagenicity Not classified. Carcinogenicity

#### IARC Monographs. Overall Evaluation of Carcinogenicity

2-Butoxyethanol (CAS 111-76-2) 3 Not classifiable as to carcinogenicity to humans.

#### OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Not classified. Reproductive toxicity Specific target organ toxicity -Not classified.

single exposure

Specific target organ toxicity -Not classified.

repeated exposure

**Aspiration hazard** Not classified. **Chronic effects** Not classified.

**Further information** No other specific acute or chronic health impact noted.

## 12. Ecological information

**Ecotoxicity** The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

**Uvex Clear Solution** SDS US 916580 Issue date: 06-July-2015 4/6 Version #: 01 Revision date: -

Persistence and degradability No data available.

Bioaccumulative potential The product is not expected to bioaccumulate.

Partition coefficient n-octanol / water (log Kow)

2-Butoxyethanol (CAS 111-76-2) 0.83

Mobility in soil The product is completely soluble in water.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

## 13. Disposal considerations

**Disposal instructions** Dispose in accordance with all applicable regulations. Do not allow runoff to sewer, waterway or

ground.

Hazardous waste code Waste codes should be assigned by the user based on the application for which the product was

used.

Waste from residues / unused

products

Dispose of in accordance with local regulations.

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied.

### 14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78 and

the IBC Code

## 15. Regulatory information

**US** federal regulations This product is not hazardous according to OSHA 29CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

2-Butoxyethanol (CAS 111-76-2) LISTED

Superfund Amendments and Reauthorization Act of 1986 (SARA)

**Hazard categories** Immediate Hazard - No

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No

chemical

SARA 313 (TRI reporting)

**Chemical name CAS** number % by wt. 111-76-2 2-Butoxvethanol <6

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

**Uvex Clear Solution** SDS US MSD-V363 (NewPig) 5/6 Safe Drinking Water Act

(SDWA)

Not regulated.

**US** state regulations This product does not contain a chemical known to the State of California to cause cancer, birth

defects or other reproductive harm.

**US. Massachusetts RTK - Substance List** 

2-Butoxyethanol (CAS 111-76-2)

US. New Jersey Worker and Community Right-to-Know Act

2-Butoxyethanol (CAS 111-76-2)

US. Pennsylvania Worker and Community Right-to-Know Law

**Inventory name** 

2-Butoxyethanol (CAS 111-76-2)

**US. Rhode Island RTK** 

2-Butoxyethanol (CAS 111-76-2)

## **US. California Proposition 65**

Not Listed.

Country(s) or region

#### **International Inventories**

Australia

Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances	Yes

Australian Inventory of Chemical Substances (AICS)

On inventory (yes/no)\*

Yes

#### 16. Other information, including date of preparation or last revision

06-July-2015 Issue date

**Revision date** Version # 01

The classification for health and environmental hazards is derived by a combination of calculation **Further information** 

methods and test data, if available.

**NFPA** ratings



#### List of abbreviations

References **ACGIH** 

EPA: Acquire database

NLM: Hazardous Substances Data Base

US. IARC Monographs on Occupational Exposures to Chemical Agents

National Toxicology Program (NTP) Report on Carcinogens

ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices

ESIS (European chemical Substances Information System)

HSDB® - Hazardous Substances Data Bank

IARC Monographs. Overall Evaluation of Carcinogenicity

Disclaimer This information is provided without warranty. The information is believed to be correct. This

information should be used to make an independent determination of the methods to safeguard

workers and the environment.

**Uvex Clear Solution** SDS US MSD-V363 (NewPig) 6/6

<sup>(</sup>PICCS)

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory \*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).